

Identifying and Ranking Critical Success Factors for Implementing Leagile Manufacturing Industries Using Modified TOPSIS

Naveen Virmani, Rajeev Saha, Rajeshwar Sahai

Abstract—Leagile is combination of both lean and agile system. Lean is concerned with less of everything i.e. less material, less time, less space, less manpower to produce a product, while agile is concerned with quick respond to customer demand and to reconfigure the system as soon as possible to meet the customer expectations well on time. The market is excessively competitive, so there is a dire need for the companies to adopt new and modern technologies with latest equipments. It has been seen that implementation of leagile system become tedious so the purpose of the paper is to find critical success factors (CSF) affecting leagile manufacturing system using literature review and rank them by using modified TOPSIS (Technique of order preference by similarity to ideal solution) technique.

Keywords—Agile manufacturing, lean manufacturing, leagile manufacturing, modified TOPSIS.

I. INTRODUCTION & LITERATURE REVIEW

LEAGILE manufacturing system is found to have many advantages in the manufacturing system. Various researchers have described the leagile model. Reference [5] proposed a leagile model where lean and agile system operates by positioning de-coupling point at different points in a manufacturing supply chain. The de-coupling point separates lean and agile system; upstream lean system is followed while downstream agile system is adopted. Reference [2] also discussed the importance of de-coupling point. Reference [3] pointed out that lean and agile paradigm has become the necessity for the success of any supply chain in twenty first century. Therefore, integration of both the strategies led to the development of the leagile principles. Reference [12] was the first one to introduce the concept of leagility. Leagile system helps in reducing the excess inventories and losses that can be there when the demand changes.

In recent years there is a drastic change in the competition. To tackle with competitive in the market, companies are required to use advanced manufacturing technologies and smart strategies such as computer integrated manufacturing (CIM), flexible manufacturing system, poka yoke, TQM (Total Quality Management), just in time, quality management

Naveen Virmani is pursuing PhD from YMCA University of Science and Technology, Faridabad. (e-mail: naveenvirmani11@gmail.com).

Dr. Rajeev Saha is Assistant Professor at Department of Mechanical Engineering, YMCAUST, Faridabad (e-mail: rajeevsaha@gmail.com).

Dr. Rajeshwar Sahai is Director at Rattan College, Faridabad, India (e-mail: rajeshwar.sahai@rediffmail.com).

system, rapid manufacturing, rapid prototyping, six sigma, lean and agile manufacturing, business process reengineering and business excellence models, which have claimed to support organization's improvement efforts. References [26] and [9] developed an operational model which can be used to assess changes required to introduce lean manufacturing. Reference [15] also explains some guidelines about applicability of lean practices in industry.

The structure of the paper contains is as follows: Section II contains the CSF affecting leagile manufacturing system which has been identified through literature review. Section III contains questionnaire conducted by industry experts, Section IV contains the procedure of modified TOPSIS technique. Section V contains the calculations of different critical factors and ranking them. Section VI contains discussion and conclusion.

II. IDENTIFICATIONS OF CSF AFFECTING LEAGILE MANUFACTURING SYSTEM

Various factors affecting leagile manufacturing system have been identified through literature review. These are listed in Table I.

TABLE I
CSF AFFECTING LEAGILE MANUFACTURING SYSTEM

| S.NO | Critical Success Factor (CSF'S) | References |
|------|---|--------------------------|
| 1 | Virtual Enterprises | [3], [4], [10],[20],[28] |
| 2 | Management support towards implementation of policies | [8], [13],[14],[17] |
| 3 | Strategic Management | [1], [4] |
| 4 | Knowledge and IT management | [2], [5] |
| 5 | Customer and Market sensitiveness | [6], [13], [25] |
| 6 | Rapid Reconfiguration | [7], [9], [11] |
| 7 | Design and Engineering | [15], [21] |
| 8 | Use of advance manufacturing technologies | [16], [22],[31] |
| 9 | Flexible manufacturing system | [13], [19], [25] |
| 10 | Supply chain Management | [5], [13] |
| 11 | Availability of funds | [21], [27], [4] |
| 12 | Training and development programs | [23], [26], [7] |
| 13 | Collaborative relationship | [24], [8], [7] |
| 14 | Benchmarking | [13], [19] |
| 15 | Human Resource management | [12], [18], [25] |

III. QUESTIONNAIRE BASED SURVEY

A. Instrument Development

Based on literature review and discussion with experts and

academicians, questionnaire was prepared. It contains CSF's which were necessary for leagile implementation in enterprises.

B. Survey Responses and the Respondents' Profile

The questionnaire was send to 60 companies. The companies selected are auto-mobile ancillary companies. 35 responses were received. 5 of them were partially completed and hence discarded. So, only 30 of companies were selected for data analysis. The response rate was 50%. Out of 30, 15 have employees less than 100, 7 have employees between 101 and 250, 5 have employees between 251 and 300 and 3 have employees between 301 and 400. In terms of turnover, 10 have turnover up to \$10 million, 5 have turnover ranging \$10-20 million, 10 in the range of \$20-100 million, 5 in the range of \$100-200 million.

C. Result of Survey

The main purpose of the questionnaire based survey was to find the crisp or fuzzy scores of the identified CSF. Major result of the survey was that 50% of the companies were interested in implementing leagile manufacturing system. The experts have given crisp values of different factors.

IV. MODIFIED TOPSIS TECHNIQUE

Table I shows critical success factors affecting leagile manufacturing system, identified through literature review. The experts were asked to fill the questionnaire by assigning fuzzy or crisp values as shown in Table II. 0.045 stands for exceptionally low while 0.955 stands for exceptionally high.

The first step is to determine the objective. The second step represents a matrix based on all the information available on factors. Each row of the matrix is allocated by onefactor and each column is assigned value by expert. In the case of a subjective attribute (i.e., objective value is notavailable), a ranked value judgement is adopted [30]. Reference [22] proposed an approach for solving more than ten alternatives in the system, linguistic term are convetred into fuzzy numbers and then fuzzz ynumbers are converted into crisp scores. An 11-point scale is used in this paper for crisp score, as shown in Table II.

TABLE II
 CONVERSION OF LINGUISTIC TERMS INTO FUZZY SCORES (11 POINT SCALE)

| Linguistic Term | Fuzzy Number | Crisp No. |
|--------------------|--------------|-----------|
| Exceptionally Low | M1 | 0.045 |
| Extremely low | M2 | 0.135 |
| Very low | M3 | 0.255 |
| Low | M4 | 0.335 |
| Below average | M5 | 0.410 |
| Average | M6 | 0.500 |
| Above average | M7 | 0.59 |
| High | M8 | 0.665 |
| Very High | M9 | 0.745 |
| Extremely high | M10 | 0.865 |
| Exceptionally high | M11 | 0.955 |

The third step is to obtain the positive ideal solution (best)

and negative ideal solution (worst). The ideal (best) and negative ideal (worst) solutions can be expressed as:

$$R^+ = \left\{ \left(\sum_1^{Max} R_{ij} / j \in J \right), \left(\left(\sum_1^{Min} R_{ij} / j \in J' \right) / i = 1, 2, \dots, N \right) \right\} = \{ R_1^+, R_2^+, R_3^+, \dots, R_M^+ \} \quad (1)$$

$$R^- = \left\{ \left(\sum_1^{Max} R_{ij} / j \in J \right), \left(\left(\sum_1^{Min} R_{ij} / j \in J' \right) / i = 1, 2, \dots, N \right) \right\} = \{ R_1^-, R_2^-, R_3^-, \dots, R_M^- \} \quad (2)$$

The fourth step is to decide on the relative importance (i.e., weights) of different attributes with respect to the objective. A set of weights, w_j (for $j = 1, 2, \dots, M$) such that $\sum w_j = 1$ may be decided upon. The weights of relative importance of the criteria may be assigned using the analytic hierarchy process (AHP) method [2].

The relative normalized weight (w_j) of each attribute is calculated by following steps:

- calculating the geometric mean of i th row
- normalizing the geometric means of rows in the comparison

This can be represented as

$$GM_j \left(\sum_i^M b_{ij} \right)^{1/m} \quad \text{and} \quad W_j = GM_j / \sum_{j=0}^M GM_j$$

The geometric mean method of AHP is commonly used to determine the relative normalized weights of the attributes, because of its simplicity, ease, determination of the maximum Eigenvalue, and reduction in inconsistency of judgments.[29]

- Calculate matrices $A3$ and $A4$ such that $A3 = A1 * A2$ and $A4 = A3 / A2$ where $A1$ is the pair wise factor and $A2$ is weight of factors [8]
- Determine the maximum eigenvalue λ_{max} that is the average of the matrix $A4$. Calculate the consistency index $CI = (\lambda_{max} - M) / (M - 1)$ The smaller the value of CI , the smaller is the deviation from the consistency.
- Obtain the random index (RI) for the number of attributes used in decisionmaking [22].
- Calculate the consistency ratio $CR = CI / RI$. Usually, a CR of 0.1 or less is considered as acceptable, and it reflects an informed judgment attribute to the knowledge of the analyst regarding the problem under study[30]

In fifth step, weighted Euclidean distances are calculated as:

$$D_i^+ = \left\{ \sum_{j=1}^M W_j (R_{ij} - R_j^+)^2 \right\}^{1/2} \quad \text{where } i = 1, 2, 3, \dots, N \quad (3)$$

$$D_i^- = \left\{ \sum_{j=1}^M W_j (R_{ij} - R_j^-)^2 \right\}^{1/2} \text{ where } i = 1, 2, 3, \dots, N \quad (4)$$

In sixth step, the relative closeness of a particular alternative to the ideal solution, Pi -mod, can be expressed as:

$$P_{i\text{mod}} = D_i^- / (D_i^+ + D_i^-) \quad (5)$$

In seventh step, a set of alternatives is made in the descending order, according to the value of Pi -mod indicating the most preferred and least preferred feasible solutions. Pi -mod may also be called the overall or composite performance

score of Factor F_i .

V. CALCULATIONS INVOLVED

In first stage, fuzzy or crisp values of the factors affecting leagile manufacturing system are tabulated as given by experts, Table III.

In second stage, Normalized Decision matrix is calculated by (6) and it is shown in Table IV.

$$N_{ij} = m_{ij} / \left(\sum_{j=1}^m m_{ij}^2 \right)^{1/2} \quad (6)$$

TABLE III
FUZZY OR CRISP VALUE OF FACTORS

| CSF | Experts | | | | | | | | | | | | | | |
|-----|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | E1 | E2 | E3 | E4 | E5 | E6 | E7 | E8 | E9 | E10 | E11 | E12 | E13 | E14 | E15 |
| F1 | 0.41 | 0.41 | 0.865 | 0.335 | 0.335 | 0.255 | 0.335 | 0.665 | 0.59 | 0.255 | 0.5 | 0.59 | 0.5 | 0.41 | 0.59 |
| F2 | 0.865 | 0.665 | 0.59 | 0.5 | 0.5 | 0.59 | 0.5 | 0.745 | 0.335 | 0.865 | 0.59 | 0.41 | 0.5 | 0.59 | 0.41 |
| F3 | 0.745 | 0.59 | 0.5 | 0.5 | 0.59 | 0.59 | 0.5 | 0.5 | 0.41 | 0.745 | 0.41 | 0.5 | 0.41 | 0.41 | 0.5 |
| F4 | 0.135 | 0.665 | 0.5 | 0.335 | 0.41 | 0.5 | 0.41 | 0.5 | 0.5 | 0.5 | 0.59 | 0.5 | 0.59 | 0.5 | 0.5 |
| F5 | 0.41 | 0.5 | 0.665 | 0.41 | 0.5 | 0.59 | 0.5 | 0.665 | 0.59 | 0.59 | 0.5 | 0.59 | 0.335 | 0.5 | 0.255 |
| F6 | 0.335 | 0.335 | 0.41 | 0.5 | 0.5 | 0.41 | 0.745 | 0.59 | 0.59 | 0.59 | 0.5 | 0.59 | 0.745 | 0.665 | 0.59 |
| F7 | 0.335 | 0.255 | 0.335 | 0.5 | 0.5 | 0.335 | 0.59 | 0.59 | 0.41 | 0.41 | 0.5 | 0.255 | 0.335 | 0.335 | 0.5 |
| F8 | 0.41 | 0.335 | 0.665 | 0.665 | 0.5 | 0.865 | 0.665 | 0.41 | 0.745 | 0.59 | 0.41 | 0.41 | 0.41 | 0.59 | 0.59 |
| F9 | 0.665 | 0.135 | 0.59 | 0.255 | 0.5 | 0.59 | 0.5 | 0.5 | 0.865 | 0.5 | 0.59 | 0.255 | 0.59 | 0.41 | 0.135 |
| F10 | 0.5 | 0.5 | 0.5 | 0.5 | 0.335 | 0.5 | 0.59 | 0.255 | 0.5 | 0.745 | 0.335 | 0.335 | 0.59 | 0.5 | 0.255 |
| F11 | 0.5 | 0.5 | 0.255 | 0.59 | 0.135 | 0.5 | 0.665 | 0.41 | 0.59 | 0.335 | 0.665 | 0.745 | 0.745 | 0.135 | 0.41 |
| F12 | 0.5 | 0.59 | 0.665 | 0.59 | 0.255 | 0.665 | 0.745 | 0.41 | 0.59 | 0.255 | 0.255 | 0.5 | 0.335 | 0.5 | 0.59 |
| F13 | 0.59 | 0.665 | 0.665 | 0.255 | 0.5 | 0.5 | 0.59 | 0.5 | 0.41 | 0.665 | 0.5 | 0.5 | 0.255 | 0.5 | 0.5 |
| F14 | 0.335 | 0.59 | 0.5 | 0.5 | 0.335 | 0.5 | 0.5 | 0.59 | 0.335 | 0.745 | 0.5 | 0.255 | 0.5 | 0.255 | 0.5 |
| F15 | 0.5 | 0.59 | 0.59 | 0.335 | 0.41 | 0.255 | 0.59 | 0.335 | 0.335 | 0.255 | 0.41 | 0.5 | 0.5 | 0.5 | 0.41 |

TABLE IV
NORMALIZED MATRIX

| CSF's | Experts | | | | | | | | | | | | | | |
|-------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | E1 | E2 | E3 | E4 | E5 | E6 | E7 | E8 | E9 | E10 | E11 | E12 | E13 | E14 | E15 |
| F1 | 0.2062 | 0.2064 | 0.3905 | 0.1852 | 0.1983 | 0.1238 | 0.1511 | 0.3258 | 0.2818 | 0.1193 | 0.2466 | 0.3157 | 0.2534 | 0.2244 | 0.325 |
| F2 | 0.4351 | 0.3348 | 0.2664 | 0.2764 | 0.296 | 0.2864 | 0.2255 | 0.365 | 0.16 | 0.4046 | 0.291 | 0.2194 | 0.2534 | 0.3229 | 0.2259 |
| F3 | 0.3747 | 0.2971 | 0.2257 | 0.2764 | 0.3492 | 0.2864 | 0.2255 | 0.245 | 0.1958 | 0.3485 | 0.2022 | 0.2675 | 0.2078 | 0.2244 | 0.2755 |
| F4 | 0.0679 | 0.3348 | 0.2257 | 0.1852 | 0.2427 | 0.2427 | 0.1849 | 0.245 | 0.2388 | 0.2339 | 0.291 | 0.2675 | 0.2991 | 0.2737 | 0.2755 |
| F5 | 0.2062 | 0.2517 | 0.3002 | 0.2266 | 0.296 | 0.2864 | 0.2255 | 0.3258 | 0.2818 | 0.276 | 0.2466 | 0.3157 | 0.1698 | 0.2737 | 0.1405 |
| F6 | 0.1685 | 0.1687 | 0.1851 | 0.2764 | 0.296 | 0.199 | 0.336 | 0.2891 | 0.2818 | 0.276 | 0.2466 | 0.3157 | 0.3776 | 0.364 | 0.325 |
| F7 | 0.1685 | 0.1284 | 0.1512 | 0.2764 | 0.296 | 0.1626 | 0.2661 | 0.2891 | 0.1958 | 0.1918 | 0.2466 | 0.1364 | 0.1698 | 0.1834 | 0.2755 |
| F8 | 0.2062 | 0.1687 | 0.3002 | 0.3676 | 0.296 | 0.4199 | 0.2999 | 0.2009 | 0.3558 | 0.276 | 0.2022 | 0.2194 | 0.2078 | 0.3229 | 0.325 |
| F9 | 0.3345 | 0.068 | 0.2664 | 0.1409 | 0.296 | 0.2864 | 0.2255 | 0.245 | 0.4131 | 0.2339 | 0.291 | 0.1364 | 0.2991 | 0.2244 | 0.0744 |
| F10 | 0.2515 | 0.2517 | 0.2257 | 0.2764 | 0.1983 | 0.2427 | 0.2661 | 0.1249 | 0.2388 | 0.2339 | 0.3674 | 0.1792 | 0.2991 | 0.2737 | 0.1405 |
| F11 | 0.2515 | 0.2517 | 0.1151 | 0.3261 | 0.0799 | 0.2427 | 0.2999 | 0.2009 | 0.2818 | 0.1567 | 0.328 | 0.3986 | 0.3776 | 0.0739 | 0.2259 |
| F12 | 0.2515 | 0.2971 | 0.3002 | 0.3261 | 0.1509 | 0.3228 | 0.336 | 0.2009 | 0.2818 | 0.1193 | 0.1258 | 0.2675 | 0.1698 | 0.2737 | 0.325 |
| F13 | 0.2968 | 0.3348 | 0.3002 | 0.1409 | 0.296 | 0.2427 | 0.2661 | 0.245 | 0.1958 | 0.3111 | 0.2466 | 0.2675 | 0.1293 | 0.2737 | 0.2755 |
| F14 | 0.1685 | 0.2971 | 0.2257 | 0.2764 | 0.1983 | 0.2427 | 0.2255 | 0.2891 | 0.16 | 0.3485 | 0.2466 | 0.1364 | 0.2534 | 0.1396 | 0.2755 |
| F15 | 0.2515 | 0.2971 | 0.2664 | 0.1852 | 0.2427 | 0.1238 | 0.2661 | 0.1641 | 0.16 | 0.1193 | 0.2022 | 0.2675 | 0.2534 | 0.2737 | 0.2259 |

TABLE V
POSITIVE IDEAL SOLUTIONS (R+) AND NEGATIVE IDEAL SOLUTIONS (R-)

| Factors | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| (R ⁺) | 0.4351 | 0.3348 | 0.3905 | 0.3676 | 0.3492 | 0.4199 | 0.336 | 0.365 | 0.4131 | 0.4046 | 0.3674 | 0.3986 | 0.3776 | 0.364 | 0.325 |
| (R ⁻) | 0.0679 | 0.068 | 0.1151 | 0.1409 | 0.0799 | 0.1238 | 0.1511 | 0.1249 | 0.16 | 0.1193 | 0.1258 | 0.1364 | 0.1293 | 0.0739 | 0.0744 |

TABLE VI
 WEIGHTS OF DIFFERENT CSFS

| Weights | Value |
|---------|-------|
| W1 | 0.086 |
| W2 | 0.085 |
| W3 | 0.078 |
| W4 | 0.136 |
| W5 | 0.067 |
| W6 | 0.121 |
| W7 | 0.096 |
| W8 | 0.035 |
| W9 | 0.095 |
| W10 | 0.053 |
| W11 | 0.019 |
| W12 | 0.037 |
| W13 | 0.03 |
| W14 | 0.027 |
| W15 | 0.035 |

In third stage, positive ideal solution (PIS) is calculated by (1) and negative ideal solution (NIS) is calculated by (2) as shown in Table V.

In fourth stage, weights of different factors are taken by AHP methodology and shown in Table VI.

In fifth stage, weighted Euclidian distances are calculated by (3) and (4) and shown in Table VII

In sixth stage, relative closeness of each factor is calculated by (5) shown in Table VIII.

In last step, the factors are arranged in descending order of their relative closeness: 8-2-3-12-5-13-6-9-11-10-14-4-1-15-7.

TABLE VII
 WEIGHTED EUCLIDIAN DISTANCE

| Factors | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 3 | 12 | 13 | 14 | 15 |
|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| (D ⁺) | 0.1826 | 0.1187 | 0.1216 | 0.1765 | 0.1332 | 0.1490 | 0.1901 | 0.1120 | 0.1619 | 0.1495 | 0.1640 | 0.1334 | 0.1491 | 0.1648 | 0.1859 |
| (D ⁻) | 0.1340 | 0.1970 | 0.1759 | 0.1310 | 0.1480 | 0.1521 | 0.1084 | 0.1939 | 0.1550 | 0.1330 | 0.1480 | 0.1693 | 0.1591 | 0.1340 | 0.1248 |

TABLE VIII
 RELATIVE CLOSENES OF PARTICULAR FACTOR TO IDEAL SOLUTION (P_{i-mod})

| Factors | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|-----------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| (P _{i-mod}) | 0.4231 | 0.6240 | 0.5912 | 0.4260 | 0.5262 | 0.5050 | 0.3631 | 0.6338 | 0.4890 | 0.4708 | 0.4744 | 0.5592 | 0.5161 | 0.4484 | 0.4017 |

TABLE IX
 RANKING OF CRITICAL SUCCESS FACTORS

| Factors | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|---------|---|---|---|----|---|----|---|---|----|----|----|----|----|----|----|
| Ranking | 8 | 2 | 3 | 12 | 5 | 13 | 6 | 9 | 11 | 10 | 14 | 4 | 1 | 15 | 7 |

REFERENCES

- [1] Bortolotti, T., Boscarei, S., Danese, P., 'Successful lean implementation: Organizational culture and soft lean practices', International Journal of production economics, Vol.160, 2014, pp. 182-201
- [2] Brien MJ, Al-Biqami NM, 'Proceedings of objects, components and thevirtual enterprise, An interdisciplinary workshop at Object-Oriented Programming Systems Languages, and Applications (OOPSLA)', Vancouver, Canada, 1998.
- [3] Bunce, P., and Gould, P., 'From Lean to Agile Manufacturing', IEE Colloquium (Digest), Vol.278, 1996, pp.3-5.
- [4] Chavez, R., Yu, W., Jacobs, M., Fynes, B., 'Internal lean practices and performance: The role of technological turbulence' International Journal of Production Economics, Vol.160, 2014, pp 157-171.
- [5] Chen, S.J. and Hwang, C.L., 'Fuzzy multiple factor decision making – methods and applications', Lecture Notes in Economics and Mathematical Systems, Springer-Verlag, Berlin, 1992.
- [6] David, F.R., 'Strategic management concepts and cases', Pearson Education, Inc., Publishing as Prentice Hall, One Lake Street, Upper Saddle River, New Jersey, 2011.
- [7] Hofer, A.R., Hofer, C., Eroglu, C., Waller, M.A., 'An institutional theoretic perspective on forces driving adoption of lean production globally: China vis-à-vis the USA' International journal of Logistics Management, Vol.22, No.2, 2011, 148–178.
- [8] Li, S., Rao, S.S., Ragu-Nathan, T.S., Ragu-Nathan, B., 'Development and validation of a measurement instrument for studying supply chain management practices' Journal of Operations Management, vol.23, No. 6, 2005, pp.618–641.
- [9] Karlsson, C., Ahlstrom, P., 'Assessing change towards lean production', International Journal of operations and production management', Vol. 16, 1996, pp. 24-41.
- [10] Ketchen DJ, Giunipero LC, 'The intersection of strategic management andsupply chain management', Industrial Marketing Management, Vol.33, No.1, 2004, pp 51-56.

VI. DISCUSSION AND CONCLUSION

The objective of research was to rank critical success factors so that leagile manufacturing system can be successfully implemented in industries. The factors have been identified through literature review and ranking of factors have been done by modified Topsis technique. It has been seen that use of advance manufacturing technology is the top most factor, it produces the better quality products, wastages are minimum and the customized products can be produced well on time. The second factor is management support towards implementation of policies; the management should support their employees in implementing leagile system. The employees, especially managers, should be empowered at least to some extent so that they can take decision on their own. The third critical success factor is strategic management. The manager should plan proper strategies to deal with the customers in market as well as should look properly in to the production system. He should take quick actions for the problems encountered while implementing leagile system. Similarly, the fourth critical success factor is training and development programs. The training and development programs on various topics like six sigma, kaizen, poke yoke, rapid reconfiguration, advance manufacturing technologies, CNC, robotics etc. should be organized time to time so that the employees should be well acquainted with the latest technologies and quality tools and techniques to make the system leagile.

- [11] Liker, J.K., Hoseus, M., 'Human resource development in Toyota culture', International Journal of human resource management and culture, Vol.10, No.1, 2010, pp 34–50.
- [12] Mason Jones, R Naylor and Towill, 'Engineering the leagile supply chain', International Journal of Agile Manufacturing Systems, Vol.2, No.1, 2000, pp. 54-61.
- [13] Mccullen, P and Towill D.R., 'Achieving lean supply through agile manufacturing', Integrated Manufacturing systems, Vol. 12, No.7, 2001, pp 524-33
- [14] Naylor, J.B, Naim, M.M and Berry, D, 'Leagility: Integrating the lean and agile manufacturing paradigms in total supply chain', International Journal of Production Economics, Vol.62, 1999, pp.107-18.
- [15] Needy, K.L., Abdulmalek, F, Rajgopal, J, 'A classification scheme for the process industry to guide the implementation of lean' Engineering Management Journal, Vol.18, 2006, pp. 15-25
- [16] Olhager, J., Prajogo, D.I. , 'The impact of manufacturing and supply chain improvement initiatives: A survey comparing make-to-order and make-to- stock firms' Omega , Vol. 40, No.2 , 2012, pp. 159–165.
- [17] Prajogo, D., McDermott, C., "The relationship between multidimensional organizational culture and performance", International Journal of Production and operations management, Vol.31, No., 2011, pp 712–735.
- [18] Prince. J and Kay, J.M, 'Combining lean and agile characteristics: creation of virtual groups by enhanced production flow analysis', International Journal of Production Economics, Vol.85, No.3, 2003, pp 305-318.
- [19] Rao, R.V. 'Decision Making in the Manufacturing Environment Using Graph Theory and Fuzzy Multiple Attribute Decision Making Methods', Springer-Verlag, London, 2007.
- [20] Raub S, Wittich DV, 'Implementing knowledge management: Three strategies for effective CKOs', European Management Journal, Vol.22, No.6, 2004, pp 714-724.
- [21] Rother, M., 'Toyota Kata: Managing People for Improvement, Adaptiveness and Superior Results'. McGraw-Hill, 2009.
- [22] Saaty, T.L. and Tran, L.T. 'On the invalidity of fuzzifying numerical judgments in the analytic hierarchy process', Mathematical and Computer Modeling, Vol. 46, No. 7, 2007, pp.962–975.
- [23] Spear, S.J., Bowen, H.K., 'Decoding the DNA of the Toyota production system', Harvard Business Review, Vol. 77, No.9-10, 1999, pp 97–106.
- [24] Stratton, R., and Warburton, R. D. H., 'The strategic integration of agile and lean supply', International Journal of Production Economics, Vol.85, 2003, pp 183-198.
- [25] Thakkar J, Kanda A, Deshmukh SG, 'Evaluation of buyer-supplier relationships using integrated mathematical approach of interpretive structural modeling (ISM) and graph theoretic matrix: the case study of Indian automotive SMEs', Journal of Manufacturing Technology Management, Vol.19, No.1, 2010, pp 92-124.
- [26] Thawesaengskulthai, N. and Tannock, J.D.T., 'Pay-off selection criteria for quality and improvement initiatives', International Journal of Quality & Reliability Management, Vol. 25 No. 4, 2008, pp. 366-82
- [27] Wagner SM, Eggert A, Lindemann E (2010) Creating and appropriating value in collaborative relationships, Journal of Business Research, 63(8): 840-848.
- [28] Xing, Bo, Gao, W., Bright, G. (2007), 'Design and Application of Reconfigurable Manufacturing Systems in Agile Mass Customization. Manufacturing Environment', International Conference Industrial Engineering and Systems Management.
- [29] Jain, V., Raj, T.(2013), 'Evaluation of flexibility in FMS using SAW and WPM', Decision Science Letters, Vol. 2, 223-230
- [30] Rao (2013), 'Improved Multiple Attribute Decision Making Methods', Decision making in manufacturing environment using graph theory and fuzzy multiple attribute decision making methods. Volume 2, Springer Publications

and Operations Management.

Dr. Rajeshwar Sahai is working as a Director in Rattan college of engineering, Faridabad. He has published many papers in international and national journals. His areas of interest are Production Engineering, Operations Management.

Mr. Naveen Virmani is a Research scholar at Department of Mechanical Engineering in YMCA University of Science and Technology, Faridabad. He has completed his M.Tech from YMCA University of Science and Technology, Faridabad. His area of Interest includes Industrial engineering, Operations Research, Production Engineering.

Dr. Rajeev Saha is working as Assistant Professor at Department of Mechanical Engineering in YMCA University of Science and Technology, Faridabad. He has published many papers in International and National Journals of high repute. His areas of interest include Industrial Engineering