

Airline Quality Rating Using PARIS and TOPSIS in Multiple Criteria Decision Making Analysis

C. Ardil

Abstract—This paper presents a multiple criteria evaluation analysis for airline quality rating using the preference analysis for reference ideal solution (PARIS) and the technique for order of preference by similarity to ideal solution (TOPSIS) approaches. The airline quality rating was developed as an objective method for assessing airline quality on combined multiple performance criteria and the importance weights of criteria. The selected multiple performance criteria were determined as on-time arrivals, mishandled baggage, involuntary denied boardings, and consumer complaints. The multiple criteria decision making analysis results show that the alternative (a_2) airline is the best-rated airline.

Keywords—airline quality rating, multiple criteria decision making, multiple criteria decision making analysis, entropy weight, MCDMA, PARIS, TOPSIS.

I. INTRODUCTION

AIRLINE quality rating is an important assessment for profitability and sustainability in dynamic competitive aviation industry. The quality rating problem usually is based on multiple decision criteria that frame the evaluation process. In the most complex decision situations, multiple criteria decision making analysis (MCDMA) methods can be applied efficiently to deal with such challenging decision problems.

Various MCDMA methods have been proposed to deal with complex decision problems, such as Additive Weighted Model (AWM)[1-5], Multiplicative Weighted Model (MWM)[6], Analytical Hierarchy Process (AHP)[7-9], Composite Programming[10-11], Compromise Programming [11-14], Entropic Programming [15], Preference Analysis for Reference Ideal Solution (PARIS) [16-20], ELimination Et Choix Traduisant la REalité (ELECTRE) [21-22], Preference Ranking Organization Method for Enrichment of Evaluations (PROMETHEE) [23-27], Technique for Order Preference by Similarity to Ideal Solution (TOPSIS)[28-33], VlseKriterijumska Optimizacija I Kompromisno Resenje (VIKOR) [34-36]. Uncertainty in decision making processes is often modeled using fuzzy [37-46], intuitionistic [47], neutrosophic [49], and plithogenic [50-51] decision analysis methods. In addition, the importance weights of criteria are objectively computed using the entropy method in multiple criteria decision analysis processes [52].

Airline quality rating is briefly summarized to cover the main aspects of the decision making problem. Currently, consumer interest and sensitivity remain high on issues such as on-time performance, mishandled baggage, involuntary

denied boardings (bumping or oversales), and treatment of customers in the aviation industry. Since these evaluation criteria are central to the airline quality rating evaluations, it is important to provide more objective complete data for individual airlines in these areas. The air transport data provide a detailed look at the performance of each of the airlines required to report performance in certain areas, such as on-time arrivals, mishandled baggage, involuntary denied boardings, and consumer complaints [53-54].

The airline quality rating is the study of airline performance quality, it sets the industry standard, providing consumers and industry stakeholders a means to compare performance quality among airlines using objective performance-based data. The airline quality rating is the study in the aviation industry based on performance measures. Evaluation criteria included in the decision problem are screened to meet two basic elements: They must be readily obtainable from published open data sources for each airline, and they must be important to consumers regarding airline quality. The resulting criteria include areas such as baggage handling, customer complaints, involuntary denied boardings and on-time arrivals [53-54].

The airline quality rating system is briefly defined to outline the elements and criteria of the decision problem. In the aviation industry, existing quality ratings are based on subjective surveys of rarely collected consumer opinions. This subjective quality rating approach gives a quality rating that is essentially incomparable from survey to survey for any given airline. The timeliness of survey-based results can also be an issue in the fast-paced aviation industry. This is because there is no effectively consistent method for monitoring the quality of airlines on a timely, objective, and comparable basis. The airline quality rating system uses an objective multiple-factor approach in the airline industry [53-54].

The method relies on the use of published, publicly available data that reports actual airline performance on critical quality criteria important to consumers and combines them into a rating system. The result is a rating for individual airlines with comparable range scale characteristics across airlines. Airline quality rating is a weighted assessment of multiple factors important to consumers when assessing the quality of airline services. Elements considered for inclusion in the rating scale are screened to meet two key decision criteria: i) An element should be available from published data sources for each airline, and ii) An element must be related to consumer concerns regarding airline performance

C. Ardil is with the National Aviation Academy, Baku, Azerbaijan.
<https://orcid.org/0000-0003-2457-7261>

quality. Data on the elements used in calculating the ratings represent airlines' performance aspects that are important to consumers (on-time arrival, mishandled baggage, involuntary denied boardings, and customer complaint areas) [53-54].

The importance weights of criteria were objectively determined using the mean weight method and standard deviation method. Each weight and element are given a plus or minus sign (optimization direction) to reflect the nature of this criterion's impact on a consumer's perception of quality. For example, the on-time performance criterion is included as a positive element as it is reported in terms of on-time success, suggesting that a higher number is favorable for consumers [53-54].

Conversely, the criterion that includes mishandled baggage is included as a negative element and reported in terms of mishandled baggage, suggesting that a higher number is unfavorable for consumers. Weights and impacts (positive/negative signs) are independent of each other. Weights reflect the importance of the criteria in the consumer decision-making process, while the signs reflect the direction of the impact of the criteria on the consumer's rating of airline performance quality. Combining all criteria, weights, and impacts for an airline throughout the year yields a single interval scaled value [53-54].

Airline quality rating criteria and weighted average methodology provide a focused comparison of airline performance. Unlike other consumer opinion approaches that rely on consumer surveys and subjective opinions, airline quality rating uses a mathematical MCDMA approach that considers multiple weighted objective criteria to arrive at a single comparable rating for airline industry performance. The airline quality rating provides both consumers and industry stakeholders with a tool to timely monitor comparative quality for each airline using objective, performance-based data. Airline quality rating is an aviation industry standard for comparing airline performance. Currently, airline quality rating is an objectively published rating for airline performance. With the ongoing global trend in airline operations alliances, the argument for the airline quality rating as a standard method for comparing the quality of airline performance for global operations is getting stronger [53-54].

In this study, the airline quality rating assessment process is considered a multiple criteria decision analysis problem. This is because the decision making process considers a number of alternatives to be evaluated together with often conflicting evaluation criteria for the airline quality rating problem. This study uses PARIS and TOPSIS methods to rank all important factors and to identify critical factors of airline quality rating practice. The mean weight method and the entropy weight method are used to calculate the importance weights of all evaluation criteria integrated into PARIS and TOPSIS methods.

The remainder of this paper is structured as follows. Chapter 2 presents the MCDMA methodology, including the entropy weight, PARIS, and TOPSIS methods. Chapter 3 presents a numerical application of the airline quality rating problem. Finally, Chapter 4 presents the conclusion.

II. METHODOLOGY

A. PARIS Programming Method

Suppose that multiple criteria decision making analysis (MCDMA) problem has I alternatives $a_i = (a_1, \dots, a_i)$, $i \in \{i = 1, \dots, I\}$, and J criteria $g_j = (g_1, \dots, g_j)$, $j \in \{j = 1, \dots, J\}$, and the importance weight of each criterion (ω_j , $j \in \{j = 1, \dots, J\}$) is known. The procedural steps of PARIS method for evaluation of the alternatives with respect to the decision criteria are presented as follows:

Step 1. Construction of decision matrix $X = (x_{ij})_{ixj}$

$$X = \begin{pmatrix} a_1 & g_1 & \dots & g_j \\ \vdots & x_{11} & \dots & x_{1j} \\ \vdots & \vdots & \ddots & \vdots \\ a_i & x_{i1} & \dots & x_{ij} \end{pmatrix}_{ixj} \quad (1)$$

where $X = (x_{ij})_{ixj}$ represents the decision matrix and x_{ij} is the value of i th alternative with respect to j th indicator g_j .

Step 2. Normalization of the decision matrix

For benefit criteria

$$r_{ij} = \frac{x_{ij}}{x_j^{\max}}, \quad i = 1, \dots, I, \quad j = 1, \dots, J \quad (2)$$

For cost criteria

$$r_{ij} = \frac{x_j^{\min}}{x_{ij}}, \quad i = 1, \dots, I, \quad j = 1, \dots, J \quad (3)$$

where x_{ij} are the evaluation indices and $i = 1, \dots, I$, number of alternatives, and number of criteria, $j = 1, \dots, J$.

$$x_i^{\max} = \max_j \{x_{1j}, x_{2j}, \dots, x_{ij}\}, \quad x_i^{\min} = \min_j \{x_{1j}, x_{2j}, \dots, x_{ij}\} \quad (4)$$

Upon normalizing criteria of the decision matrix, all elements x_{ij} are reduced to interval values $[0, 1]$, so all criteria have the same commensurate metrics.

Step 3. Computation of the weighted normalized matrix

$$z_{ij} = \omega_j r_{ij} \quad (5)$$

Step 4. Computation of the weighted summation of the evaluation indices

$$\pi_i^\omega = \sum_{j=1}^J \omega_j r_{ij}, \quad i = 1, \dots, I, \quad j = 1, \dots, J \quad (6)$$

Step 5. Rank the alternatives according to decreasing values of π_i^ω . The alternative with the highest appraisal score is the best choice among the candidate alternatives.

Step 6. Determination of the elements of reference ideal solution (z_j^*)

$$z_j^* = \{z_1^*, \dots, z_j^*\} = \{(max_i z_{ij} \mid j \in B), (\min_i z_{ij} \mid j \in C)\} \quad (7)$$

Step 7. Computation of distance from the reference ideal solution (z_j^*)

$$\pi_i^* = \sum_{j=1}^J (z_j^* - z_{ij}), \quad i = 1, \dots, I, \quad j = 1, \dots, J \quad (8)$$

Step 8. Rank the alternatives according to increasing values of π_i^* . The alternative with the lowest appraisal score is the best choice among the candidate alternatives.

Step 9. The relative distance from each evaluated alternative to the reference ideal point is calculated to determine the ranking order of all alternatives.

$$R_i = \sqrt{(\pi_i^\omega - \pi_i^{\omega, \max})^2 + (\pi_i^* - \pi_i^{*, \min})^2} \quad (9)$$

Step 10. Rank the alternatives according to increasing values of R_i . The alternative with the lowest appraisal score is the best choice among the candidate alternatives.

B. TOPSIS Programming Method

The technique for order of preference by similarity to ideal solution (TOPSIS) method is an MCDMA method that has been used in numerous real-life problems and extended in different uncertain environments. In the TOPSIS method, the evaluation process of alternatives is conducted with respect to the distances from the ideal and anti-ideal solutions.

Suppose that, given a set of alternatives I , $a_i = (a_1, \dots, a_i)$, $i \in \{i = 1, \dots, I\}$, a set of criteria J , $g_j = (g_1, \dots, g_j)$, $j \in \{j = 1, \dots, J\}$, and the importance weight of each criterion (ω_j , $j \in \{j = 1, \dots, J\}$) is known. The procedural steps of TOPSIS method are presented as follows [11]:

Step 1. The construction of a decision matrix

$$X = \begin{pmatrix} a_1 \\ \vdots \\ a_i \\ \vdots \\ a_j \end{pmatrix} \begin{pmatrix} g_1 & \cdots & g_j \\ x_{11} & \cdots & x_{1j} \\ \vdots & \ddots & \vdots \\ x_{i1} & \cdots & x_{ij} \end{pmatrix}_{ij} \quad (10)$$

where $X = (x_{ij})_{ij}$ represents the decision matrix and x_{ij} is the value of i th alternative with respect to j th indicator g_j .

Step 2. Determination of the normalized values of the decision matrix

For benefit criteria

$$r_{ij} = \frac{x_{ij}}{x_j^{\max}}, \quad i = 1, \dots, I, \quad j = 1, \dots, J \quad (11)$$

For cost criteria

$$r_{ij} = \frac{x_j^{\min}}{x_{ij}}, \quad i = 1, \dots, I, \quad j = 1, \dots, J \quad (12)$$

Step 3. Calculation of the weighted normalized values

$$v_{ij} = \omega_j r_{ij} \quad (13)$$

Step 4. Determination of the ideal and anti-ideal solutions based on the weighted normalized values

$$a_i^* = \{v_1^*, \dots, v_j^*\} = \{(max_i v_{ij} \mid j \in B), (\min_i v_{ij} \mid j \in C)\} \quad (14)$$

$$a_i^- = \{v_1^-, \dots, v_j^-\} = \{(max_i v_{ij} \mid j \in B), (\min_i v_{ij} \mid j \in C)\} \quad (15)$$

where B and C are the sets of benefit and cost criteria, respectively.

Step 5. Calculation of the Euclidean distance of alternatives from the ideal (d_i^*) and anti-ideal (d_i^-) solutions

$$d_i^* = \sqrt{\sum_{j=1}^J (v_{ij} - v_j^*)^2} \quad (16)$$

$$d_i^- = \sqrt{\sum_{j=1}^J (v_{ij} - v_j^-)^2} \quad (17)$$

Step 6. Calculation of the closeness coefficient (CC_i) of each alternative

$$CC_i = \frac{d_i^-}{d_i^* + d_i^-} \quad (18)$$

Step 7. Rank the alternatives in decreasing order of the closeness coefficient values (CC_i)

$$\omega_j = \frac{1}{J}, j = 1, \dots, J \quad (23)$$

C. Entropy Weight Vector Calculation

The fundamental of the entropy weight method is the volume of intrinsic information to calculate the index's objective importance weight. The information entropy method is used to determine the importance weight of criteria. The procedural steps are summarized as follows [52]:

Step 1. The normalization of the decision matrix $X = (x_{ij})_{i \times j}$

$$p_{ij} = \frac{x_{ij}}{\sum_{i=1}^I x_{ij}}, i = 1, \dots, I \quad (19)$$

Step 2. The calculation of entropy for each index

$$E_j = -\frac{1}{\ln I} \sum_{i=1}^I p_{ij} \ln p_{ij}, j = 1, \dots, J \quad (20)$$

Step 3. The calculation of the degree of deviation of essential information for each criterion g_j

$$d_j = 1 - E_j, j = 1, \dots, J \quad (21)$$

where d_j measures the degree of deviation of essential information for the j th criteria g_j .

Step 4. The calculation of the criteria's entropy weight

$$\omega_j = \frac{d_j}{\sum_{j=1}^J d_j} \quad (22)$$

$$\sum_{j=1}^J \omega_j = 1, \omega_j > 0, j = 1, \dots, J$$

where ω_j is the importance weight of the j th criteria g_j .

D. Mean Weight Vector Calculation

The mean weight (MW) requires minimal information about the priorities of the criteria and minimal input from the decision maker. The MW method is used in multiple criteria decision analysis when there is no information from the decision maker or there is not enough information to come to a decision. The criteria weights are represented as a uniform distribution over the unit.

$$\sum_{j=1}^J \omega_j = 1, \omega_j > 0, j = 1, \dots, J$$

where ω_j is the importance weight of the j th criteria g_j .

III. APPLICATION

In this study, the airline quality rating problem is considered by integrating objective weighting procedures (mean weight, entropy weight) with PARIS, and TOPSIS methods.

Airline quality rating problem is taken as a numerical example of the aviation industry, a set of airlines as alternatives $\{(a_1), (a_2), (a_3), (a_4), (a_5), (a_6), (a_7), (a_8), (a_9), (a_{10})\}$. The MCDMA problem is evaluated using four decision criteria: on-time performance (g_1), mishandled baggage (g_2), involuntary denied boardings (bumping or oversales) (g_3) and treatment of customers (g_4).

The on-time performance (g_1) attribute is considered for maximum optimization direction, and the mishandled baggage (g_2), involuntary denied boardings (bumping or oversales) (g_3) and treatment of customers (g_4) attributes are considered for minimum optimization direction. The numerical performance index values for the alternatives are presented in Table 1.

Table 1. Decision matrix

	g_1	g_2	g_3	g_4
a_1	0,849	0,03	3,95	9,13
a_2	0,713	0,01	1,48	6,34
a_3	0,834	0,2	6,38	9,05
a_4	0,863	0,01	3,71	6,96
a_5	0,839	0,24	3,23	49,3
a_6	0,88	0,01	3,19	37,63
a_7	0,821	0,01	3,81	11,29
a_8	0,86	0,06	2,68	2,64
a_9	0,866	0,09	3,79	9,6
a_{10}	0,836	0,01	4,55	29,73

The air transport data was retrieved from the U.S. Department of Transportation [53-54]. The numerical data was slightly adapted for the MCDMA problem.

A. PARIS Programming Method

Following the procedural steps of the PARIS method, the computational results were tabulated from Table 2 to

Table 10. The alternative (a_2) airline was selected as the best-rated decision solution.

Table 2. Normalized decision matrix

	g_1	g_2	g_3	g_4
a_1	0,9648	0,3333	0,3747	0,2892
a_2	0,8102	1,0000	1,0000	0,4164
a_3	0,9477	0,0500	0,2320	0,2917
a_4	0,9807	1,0000	0,3989	0,3793
a_5	0,9534	0,0417	0,4582	0,0535
a_6	1,0000	1,0000	0,4639	0,0702
a_7	0,9330	1,0000	0,3885	0,2338
a_8	0,9773	0,1667	0,5522	1,0000
a_9	0,9841	0,1111	0,3905	0,2750
a_{10}	0,9500	1,0000	0,3253	0,0888

Table 5. PARIS distance from the reference ideal solution (z_j^*) (MW)

	g_1	g_2	g_3	g_4
a_1	0,0088	0,1667	0,1563	0,1777
a_2	0,0474	0,0000	0,0000	0,1459
a_3	0,0131	0,2375	0,1920	0,1771
a_4	0,0048	0,0000	0,1503	0,1552
a_5	0,0116	0,2396	0,1354	0,2366
a_6	0,0000	0,0000	0,1340	0,2325
a_7	0,0168	0,0000	0,1529	0,1915
a_8	0,0057	0,2083	0,1119	0,0000
a_9	0,0040	0,2222	0,1524	0,1813
a_{10}	0,0125	0,0000	0,1687	0,2278

The criteria importance weights determined by the mean weight (MW) and the entropy weight (EW) are given in Table 3.

Table 3. Objective decision criteria weights ω_j

	g_1	g_2	g_3	g_4
MW ω_j	0,25	0,25	0,25	0,25
EW ω_j	0,0014	0,6161	0,0523	0,3302

Table 4. PARIS weighted normalized decision matrix (MW)

	g_1	g_2	g_3	g_4
a_1	0,2412	0,0833	0,0937	0,0723
a_2	0,2026	0,2500	0,2500	0,1041
a_3	0,2369	0,0125	0,0580	0,0729
a_4	0,2452	0,2500	0,0997	0,0948
a_5	0,2384	0,0104	0,1146	0,0134
a_6	0,2500	0,2500	0,1160	0,0175
a_7	0,2332	0,2500	0,0971	0,0585
a_8	0,2443	0,0417	0,1381	0,2500
a_9	0,2460	0,0278	0,0976	0,0688
a_{10}	0,2375	0,2500	0,0813	0,0222

Table 6. PARIS Weighted Normalized Decision Matrix (EW)

	g_1	g_2	g_3	g_4
a_1	0,9648	0,9709	0,3747	0,2892
a_2	0,8102	1,0000	1,0000	0,4164
a_3	0,9477	0,8333	0,2320	0,2917
a_4	0,9807	1,0000	0,3989	0,3793
a_5	0,9534	0,8065	0,4582	0,0535
a_6	1,0000	1,0000	0,4639	0,0702
a_7	0,9330	1,0000	0,3885	0,2338
a_8	0,9773	0,9434	0,5522	1,0000
a_9	0,9841	0,9174	0,3905	0,2750
a_{10}	0,9500	0,9901	0,3253	0,0888

Table 7. PARIS distance from the reference ideal solution (EW)

	g_1	g_2	g_3	g_4
a_1	0,0000	0,4107	0,0327	0,2347
a_2	0,0003	0,0000	0,0000	0,1927
a_3	0,0001	0,5853	0,0402	0,2339
a_4	0,0000	0,0000	0,0315	0,2049
a_5	0,0001	0,5904	0,0284	0,3125
a_6	0,0000	0,0000	0,0281	0,3070
a_7	0,0001	0,0000	0,0320	0,2530
a_8	0,0000	0,5134	0,0234	0,0000
a_9	0,0000	0,5476	0,0319	0,2394
a_{10}	0,0001	0,0000	0,0353	0,3009

Table 8. PARIS ranking results of unweighted and weighted summation π_i^o (MW)

	UW	MW ω_j	EW ω_j
a_1	7	7	7
a_2	1	1	1
a_3	9	9	9
a_4	2	2	2
a_5	10	10	10
a_6	5	5	4
a_7	4	4	3
a_8	3	3	6
a_9	8	8	8
a_{10}	6	6	5

Table 9. PARIS ranking results π_i^* using distance from the reference ideal solution (EW)

	MW ω_j	EW ω_j
a_1	7	7
a_2	1	1
a_3	9	9
a_4	2	2
a_5	10	10
a_6	5	4
a_7	4	3
a_8	3	6
a_9	8	8
a_{10}	6	5

Table 10. PARIS ranking results R_i using relative distance from the reference ideal solution

	MW ω_j	EW ω_j
a_1	7	7
a_2	1	1
a_3	9	9
a_4	2	2
a_5	10	10
a_6	6	4
a_7	4	3
a_8	3	6
a_9	8	8
a_{10}	5	5

B. TOPSIS Programming Method

Following the procedural steps of the TOPSIS method, the computational results were tabulated from Table 11 to Table 13. In terms of ease of procedural computing, the solution steps of the TOPSIS method that are common with the PARIS method are not given. The alternative (a_2) airline was selected as the best-rated decision solution.

Table 11. TOPSIS the ideal and anti-ideal solutions (MW)

	g_1	g_2	g_3	g_4
a_i^*	0,25	0,25	0,25	0,25
a_i^-	0,2026	0,0104	0,0580	0,0134

Table 12. TOPSIS the ideal and anti-ideal solutions (EW)

	g_1	g_2	g_3	g_4
a_i^*	0,0014	0,6161	0,0523	0,3302
a_i^-	0,0011	0,0257	0,0121	0,0177

Table 13. TOPSIS ranking results CC_i

	MW ω_j	EW ω_j
a_1	7	7
a_2	1	1
a_3	9	9
a_4	2	2
a_5	10	10
a_6	5	4
a_7	4	3
a_8	3	6
a_9	8	8
a_{10}	6	5

IV. CONCLUSION

Airline quality rating indicators are significant in assessments of airlines services for sustainability in the aviation industry. In this paper, selected four indicators, on-time arrivals, mishandled baggage, involuntary denied boardings and consumer complaints, were used to evaluate a set of airlines for the decision making analysis problem. PARIS and TOPSIS methods were applied to rank the airlines using the mean weights and entropy weights. Finally, the multiple criteria decision making process results revealed that alternative (a_2) airline is the best airline. Different MCMDA

methods can be used in the uncertainty analysis of the airline quality rating problem.

REFERENCES

- [1] Ardil, C., Bilgen, S. (2017). Online Performance Tracking. *SocioEconomic Challenges*, 1(3), 58-72. ISSN (print) – 2520-6621.
- [2] Ardil, C. (2018) Multidimensional Performance Tracking. *International Journal of Computer and Systems Engineering*, Vol:12, No:5,320-349
- [3] Ardil, C. (2021). Architectural Acoustic Modeling for Predicting Reverberation Time in Room Acoustic Design Using Multiple Criteria Decision Making Analysis. *International Journal of Architectural and Environmental Engineering*, 15(9), 418 - 423.
- [4] Ardil, C. (2019). Aircraft Selection Using Multiple Criteria Decision Making Analysis Method with Different Data Normalization Techniques. *International Journal of Industrial and Systems Engineering*, 13(12), 744 - 756.
- [5] Ardil, C. , Pashaev, A. , Sadiqov, R. , Abdullayev, P. (2019). Multiple Criteria Decision Making Analysis for Selecting and Evaluating Fighter Aircraft. *International Journal of Transport and Vehicle Engineering*, 13(11), 683 - 694.
- [6] Ardil, C. (2019). Military Fighter Aircraft Selection Using Multiplicative Multiple Criteria Decision Making Analysis Method. *International Journal of Mathematical and Computational Sciences*, 13(9), 184 - 193.
- [7] Saaty, T. L. (1990). How to make a decision: The Analytic Hierarchy Process. *European Journal of Operational Research*, 48(1), 9-26. doi: 10.1016/0377-2217(90)90057-1
- [8] Saaty, T. L. (2008). Decision making with the analytic hierarchy process. *International Journal of Services Sciences*, 1(1), 83-98. doi: 10.1504/IJSSCI.2008.017590
- [9] Saaty, T.L. (1980). *Analytic Hierarchy Process: Planning, Priority Setting, Resource Allocation*. McGraw-Hill, New York.
- [10] Ardil, C. (2021). Advanced Jet Trainer and Light Attack Aircraft Selection Using Composite Programming in Multiple Criteria Decision Making Analysis Method. *International Journal of Aerospace and Mechanical Engineering*, 15(12), 486 - 491.
- [11] Ardil, C. (2021). Comparison of Composite Programming and Compromise Programming for Aircraft Selection Problem Using Multiple Criteria Decision Making Analysis Method. *International Journal of Aerospace and Mechanical Engineering*, 15(11), 479 - 485.
- [12] Ardil, C. (2018) Multidimensional Compromise Optimization for Development Ranking of the Gulf Cooperation Council Countries and Turkey. *International Journal of Mathematical and Computational Sciences* Vol:12, No:6, 131-138.
- [13] Ardil, C. (2018) Multidimensional Compromise Programming Evaluation of Digital Commerce Websites. *International Journal of Computer and Information Engineering* Vol:12, No:7, 556-563.
- [14] Ardil, C. (2018) Multicriteria Decision Analysis for Development Ranking of Balkan Countries. *International Journal of Computer and Information Engineering* Vol:12, No:12, 1118-1125.
- [15] Ardil, C. (2021). Freighter Aircraft Selection Using Entropic Programming for Multiple Criteria Decision Making Analysis. *International Journal of Mathematical and Computational Sciences*, 15(12), 125 - 132.
- [16] Ardil, C. (2020). A Comparative Analysis of Multiple Criteria Decision Making Analysis Methods for Strategic, Tactical, and Operational Decisions in Military Fighter Aircraft Selection. *International Journal of Aerospace and Mechanical Engineering*, 14(7), 275 - 288.
- [17] Ardil, C. (2020). Aircraft Selection Process Using Preference Analysis for Reference Ideal Solution (PARIS). *International Journal of Aerospace and Mechanical Engineering*, 14(3), 80 - 93.
- [18] Ardil, C. (2020). Regional Aircraft Selection Using Preference Analysis for Reference Ideal Solution (PARIS). *International Journal of Transport and Vehicle Engineering*, 14(9), 378 - 388.
- [19] Ardil, C. (2020). Trainer Aircraft Selection Using Preference Analysis for Reference Ideal Solution (PARIS). *International Journal of Aerospace and Mechanical Engineering*, 14(5), 195 - 209.
- [20] Ardil, C. (2020). Software Product Quality Evaluation Model with Multiple Criteria Decision Making Analysis. *International Journal of Computer and Information Engineering*, 14(12), 486 - 502.
- [21] Roy, B. (1991). The outranking approach and the foundation of ELECTRE methods. *Theory and Decision*, 31(1), 49–73.
- [22] Fei, L., Xia, J., Feng, Y., Liu, L. (2019) An ELECTRE-Based Multiple Criteria Decision Making Method for Supplier Selection Using Dempster-Shafer Theory. *IEEE Access*, 7, 84701-84716.
- [23] Brans JP., Mareschal B. (2005). Promethee Methods. In: *Multiple Criteria Decision Analysis: State of the Art Surveys*. International Series in Operations Research & Management Science, vol 78, pp 163-186. Springer, New York, NY. https://doi.org/10.1007/0-387-23081-5_5.
- [24] Brans, J., Ph. Vincke. (1985). A Preference Ranking Organisation Method: (The PROMETHEE Method for Multiple Criteria Decision-Making). *Management Science*, 31(6), 647-656.
- [25] Brans, J.P., Macharis, C., Kunsch, P.L., Chevalier, A., Schwaninger, M., (1998). Combining multicriteria decision aid and system dynamics for the control of socio-economic processes. An iterative real-time procedure. *European Journal of Operational Research* 109, 428-441.
- [26] Brans, J.P., Vincke, Ph., Mareschal, B., (1986). How to select and how to rank projects: the PROMETHEE method. *European Journal of Operational Research*, 24, 228-238.
- [27] Ardil, C. (2020) Facility Location Selection using Preference Programming. *International Journal of Industrial and Systems Engineering*, 14(1), 1 - 12.
- [28] Hwang, C.L.; Yoon, K. (1981). *Multiple Attribute Decision Making: Methods and Applications*. New York: Springer-Verlag.
- [29] Chu, T.C. (2002). Facility location selection using fuzzy TOPSIS under group decisions", *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, Vol. 10 No. 6, pp. 687-701.
- [30] Choudhary, D. and Shankar, R. (2012). A STEEP-fuzzy AHP-TOPSIS framework for evaluation and selection of thermal power plant location: a case study from India", *Energy*, Vol. 42 No. 1, pp. 510-521.
- [31] Zavadskas, E.K., Mardani, A., Turskis, Z., Jusoh, A., Nor, K.M. (2016) Development of TOPSIS method to solve complicated decision-making problems: An overview on developments from 2000 to 2015. *International Journal of Information Technology & Decision Making*, 15, 645-682.
- [32] Ardil, C. (2019) Scholar Index for Research Performance Evaluation Using Multiple Criteria Decision Making Analysis. *International Journal of Educational and Pedagogical Sciences*, Vol:13, No:2, 93-105.
- [33] Ardil, C. (2019). Fighter Aircraft Selection Using Technique for Order Preference by Similarity to Ideal Solution with Multiple Criteria Decision Making Analysis. *International Journal of Transport and Vehicle Engineering*, 13(10), 649 - 657.
- [34] Opricovic, S. (1998). *Multicriteria Optimization of Civil Engineering Systems*. PhD Thesis, Faculty of Civil Engineering, Belgrade (in Serbian).
- [35] Opricovic, S. (2007). A fuzzy compromise solution for multicriteria problems. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 15(3), 363–380.
- [36] Opricovic, S., Tzeng, G.-H. (2004). Compromise solution by MCDM methods: A comparative analysis of VIKOR and TOPSIS. *European Journal of Operational Research*, 156(2), 445–455.
- [37] Zadeh L.A., (1965). Fuzzy Sets. *Information and Control*, 8, 338-353.
- [38] Bellman, R.E., Zadeh, L.A. (1970). Decision-making in a fuzzy environment. *Management Science*, 17(4), 141–164.
- [39] Modarres, M., Sadi-Nezhad, S. (2005). Fuzzy simple additive weighting method by preference ratio, *Intelligent Automation and Soft Computing*, 235-244.
- [40] Kaur, P., Kumar, S. (2013). An Intuitionistic Fuzzy Simple Additive Weighting Method for selection of vendor. *ISOR Journal Business and Management*, 78-81.
- [41] Sagar, M.K., Jayaswal, P., Kushwah, K. (2013). Exploring Fuzzy SAW Method for Maintenance strategy selection problem of Material Handling Equipment, (2013), ISSN 22 77 – 4106.
- [42] Wang, Y.J. (2015). A fuzzy multi-criteria decision making model based on additive weighting method and preference relation, *Applied Soft Computing*, 30,412-420.
- [43] Roszkowska, E., Kacprzak, D. (2016). The fuzzy saw and fuzzy TOPSIS procedures based on ordered fuzzy numbers. *Inf. Sci.*, 369, 564-584.
- [44] Zhang, L., Xu, X., Tao, L. (2013) Some Similarity Measures for Triangular Fuzzy Number and Their Applications in Multiple Criteria Group Decision-Making, *Journal of Applied Mathematics*, vol. 2013, Article ID 538261, 1-7 pages, 2013.
- [45] Ardil, C. (2021). Fighter Aircraft Evaluation and Selection Process Based on Triangular Fuzzy Numbers in Multiple Criteria Decision Making Analysis Using the Technique for Order of Preference by

- Similarity to Ideal Solution (TOPSIS). International Journal of Computer and Systems Engineering, 15(12), 402 - 408.
- [46] Ardil, C. (2021). Military Combat Aircraft Selection Using Trapezoidal Fuzzy Numbers with the Technique for Order of Preference by Similarity to Ideal Solution (TOPSIS). International Journal of Computer and Information Engineering, 15(12), 630 - 635.
- [47] Atanassov K. (1986). Intuitionistic Fuzzy Sets, Fuzzy Sets and Systems, Vol. 20(1), 87-96.
- [48] Smarandache, F. (2019). Neutrosophic Set is a Generalization of Intuitionistic Fuzzy Set, Inconsistent Intuitionistic Fuzzy Set (Picture Fuzzy Set, Ternary Fuzzy Set), Pythagorean Fuzzy Set, Spherical Fuzzy Set, and q-Rung Orthopair Fuzzy Set, while Neutrosophication is a Generalization of Regret Theory, Grey System Theory, and Three-Ways Decision (revisited) . Journal of New Theory, (29), 1-31.
- [49] Smarandache, F. (2018). Plithogenic Set, an Extension of Crisp, Fuzzy, Intuitionistic Fuzzy, and Neutrosophic Sets - Revisited. Neutrosophic Sets and Systems: 21 / 2018 pp. 153-166.
- [50] Smarandache, F. (2021). Plithogenic Probability & Statistics are generalizations of MultiVariate Probability & Statistics. Neutrosophic Sets and Systems, Vol. 45.
- [51] Ardil, C. (2021). Neutrosophic Multiple Criteria Decision Making Analysis Method for Selecting Stealth Fighter Aircraft. International Journal of Aerospace and Mechanical Engineering, 15(10), 459 - 463.
- [52] Shannon C.E. (1948) A mathematical theory of communication. The Bell System Technical Journal, Vol. 27, pp. 379–423, 623–656.
- [53] Airline Quality Rating, Accessed on December 31, 2021 https://www.wichita.edu/research/airline_quality_rating/
- [54] The U.S. Department of Transportation, Accessed on December 31, 2021 <https://www.transportation.gov/>