Analysis of permanence and extinction of enterprise cluster based on ecology theory

Ping Liu and Yongkun Li

Abstract—This paper is concerned with the permanence and extinction problem of enterprises cluster constituted by m satellite enterprises and a dominant enterprise. We present the model involving impulsive effect based on ecology theory, which effectively describe the competition and cooperation of enterprises cluster in real economic environment. Applying comparison theorem of impulsive differential equation, we establish sufficient conditions which ultimately affect the fate of enterprises: permanence, extinction, and co-existence. Finally, we present numerical examples to explain the economical significance of mathematical results.

Keywords—Enterprise cluster; Permanence; Extinction; Impulsive; Comparison theorem

I. INTRODUCTION

NTERPRISES cluster refer to the concentration of similar or related enterprises in a specific area, which form fixed economic output and have certain economic influence on outside. Some similarities are exhibited between species population co-exist in nature and enterprises cluster in economic life such as life period, component, structure inside, openness and abundance, and so on [1].

In recent years, a few researchers presented some models about enterprises cluster based on ecology theory, which arouse growing interest in applying the methods of ecology and dynamic system theory to study enterprises cluster, for example [2-6, 15] and reference cited therein. In [2], Zhou divided enterprises cluster into two kinds of models: the concentration of subcontractors around a dominant firm and the concentration of simple competitors, called center halfback models and net models. Moreover, two kinds of models from biology were given and explained by economic view, and sufficient conditions were obtained to guarantee the co-existence and stability of enterprises cluster. In [4], the developing strategy of enterprises was analyzed based on the logistic model, the suggestions of constructing cooperative relation and choosing generalization or specialization tactics for commodity were put forward. In addition, based on the theoretical model of ecological population science, Wang [5] made a detailed analysis to the equilibrium mechanism of enterprises cluster, including the net model and the center halfback model, and drew a conclusion that: the relationship

Ping Liu is with the Department of Mathematics, Yunnan University, Kunming, Yunnan 650091, People's Republic of China.

Yongkun Li is with the Department of Applied Mathematics, Kunming University of Science and Technology, Kunming, Yunnan 650093, People's Republic of China.

E-mail: yklie@ynu.edu.cn.

of pierce competition and beneficial cooperation among enterprises cluster was the crucial factor for them to keep stability. More related research about enterprises cluster, one can refer to literatures [7-10].

As the birth of many species is an annual birth impulse, impulse is also an unnegligible factor of mathematical models in economy, such as annual fund regulation, staff adjustment and so on. In order to give an accurate description of the model of enterprises cluster in economy, we need consider the effect of impulse. The research on theory and application of impulsive differential equations had been made in many nice works, one can see [11-14]. Our practical interest in economy is the question of whether or not impulse can cause effect on the fate of enterprises cluster. Recently, the literature [15] considered the competition and cooperation system of two enterprises based on ecosystem:

$$\begin{cases} x_1'(t) = r_1 x_1(t) \left[1 - \frac{x_1(t)}{K} - \frac{\alpha (x_2(t) - c_2)^2}{K} \right], \\ x_2'(t) = r_2 x_2(t) \left[1 - \frac{x_2(t)}{K} + \frac{\beta (x_1(t) - c_1)^2}{K} \right], \end{cases}$$
(1)

where $x_1(t), x_2(t)$ represent the output of enterprises A and B, r_1, r_2 are the intrinsic growth rate, K denotes the carrying capacity of market under nature unlimited conditions, α, β are the competitive coefficient of two enterprises, c_1, c_2 are the initial production of two enterprises. If we let $a_1 = r_1/K$, $a_2 = r_2/K$, $b_1 = \alpha/K$, $b_2 = \beta/K$, system (1) becomes

$$\begin{cases} x_1'(t) = x_1(t)[r_1 - a_1x_1(t) - b_1(x_2(t) - c_2)^2], \\ x_2'(t) = x_2(t)[r_2 - a_2x_2(t) + b_1(x_1(t) - c_1)^2]. \end{cases}$$

Motivated by the above work, we consider the following impulsive competitive and cooperation model of m satellite enterprises and a dominant enterprise under center halfback model:

$$\begin{cases} x_i'(t) = x_i(t) \left[r_i - a_i x_i(t) - \sum_{j=1, j \neq i}^m b_{ij} x_j(t) - d_i(y(t) - c)^2 \right], \\ y'(t) = y(t) \left[r - ay(t) + d \sum_{i=1}^m (x_i(t) - c_i)^2 \right], \\ \Delta x_i(t) = x_i(t^+) - x_i(t) = 0, \\ \Delta y(t) = y(t^+) - y(t) = -Ey(t), \end{cases}$$
(2)

where $x_i(t), y(t)$ represent the output of satellite enterprises A_{x_i} and core enterprise A_y , respectively; r_i, r are the intrinsic growth rates, a_i, a account for their respective self-regulations, b_{ij} account for the rates of inter-enterprises

 A_{x_i} competition, d_i represents the rate of intra-enterprise competition from A_{y} , d represents the rate of conversion of commodity into the reproduction of enterprise A_{ν} , c_{i} and c represent the initial production of the enterprises, respectively. $r_i, r, a_i, a, b_{ij}, c_i, c, d_i, d$ are positive constants, $i=1,2,\ldots,m$. For the former two equations, $t\neq nT, n\in N$, and for the latter two equations, $t = nT, n \in N, T > 0$ is the period of impulsive, 0 < E < 1 is the proportion of harvest at fixed moments $nT, n \in N$. Our main purpose of this paper is by using the comparison theorem of impulsive differential equation, to establish sufficient conditions for the permanence, extinction, co-existence of enterprises described by (2).

The organization of the rest of this paper is as follows. In Section 2, we introduce some preliminary results which are needed in later sections. In Section 3, we establish some sufficient conditions for the permanence, extinction, co-existence of enterprises. In Section 4, we give numerical examples to explain the economical significance of mathematical results above.

II. PRELIMINARIES

For convenience, we shall introduce some notations, definitions and lemmas which will be useful for the proofs of our main results.

Let $R_+ = [0, +\infty), R_+^{m+1} = \{\phi = (x_1, \dots, x_m, y) | x_i > 0, y > 0, i = 1, 2, \dots, m\}, V_0 = \{V(t, \phi) | V : R_+ \times R_+^{m+1} \rightarrow R_+, V(t, \phi) \text{ is continuous on } (nT, (n+1)T] \times R_+^{m+1} \text{ and } \}$ $\lim_{\substack{(t,w)\to (nT^+,\phi)\\ V(t,w)=V(nT^+,\phi),\, n=0,1,2,\dots}}.$

Definition 1. [16] Let $V \in V_0$, then for $(t, \phi) \in (nT, (n +$ 1)T]× R_{+}^{m+1} , the upper right derivative of $V(t,\phi)$ with respect to the impulsive differential system (1) is defined as

$$D^{+}V(t,\phi) = \lim_{h \to 0^{+}} \sup \frac{1}{h} [V(t+h,\phi+hf(t,\phi)) - V(t,\phi)],$$

where $f = (f_1, f_2, \dots, f_{m+1})$ is defined by the right hand of the first m+1 equations of system (1).

Lemma 1. [17] Let $V \in V_0$. Assume that

$$\begin{cases} D^+V(t,\phi) \leq g(t,V(t,\phi)), \ t \neq nT, n \in N, \\ V(t,\phi(t^+)) \leq \varphi_n(V(t,\phi)), \ t = nT, n \in N, \end{cases}$$
 (3)

where $g: R_+ \times R_+ \to R$ is continuous in $(nT, (n+1)T] \times$ $R_+, n = 0, 1, 2, \dots$ and $\lim_{(t,v) \to (nT^+, v_0)} g(t, v)$ $=g(nT^+,v_0)$, $\varphi_n:R_+\to R_+$ is non-decreasing. Let h(t)be the maximal solution of the following scalar impulsive differential equation

$$\begin{cases} u'(t) = g(t, u), \ t \neq nT, n \in N, \\ u(t^{+}) = \varphi_n(u(t)), \ t = nT, n \in N, \\ u(0^{+}) = u_0, \end{cases}$$
 (4)

existing on $[0,+\infty)$. Then $V(t,\phi) \leq h(t), (t \geq 0)$ when $V(0^+,\phi_0) < u_0$, where $\phi(t)$ is any solution of (3), which satisfies initial condition $\phi(0^+) = \phi_0$.

Remark 1. (i) In Lemma 1, assume that inequality (3) reversed. Let h(t) be the minimal solution of (4) existing

- on $[0,+\infty)$, and $\varphi_n:R_+\to R_+$ is non-increasing, then $V(t,\phi) \ge h(t), (t \ge 0) \text{ when } V(0^+,\phi_0) \ge u_0.$
- (ii) If we have some smooth conditions of g(t) to guarantee the existence and uniqueness of solution for (4), then h(t)is exactly the unique solution of (4).

For system (2), the following lemma is obvious:

Lemma 2. Suppose $\phi(t) = (x_1(t), x_2(t), \dots, x_m(t), y(t))$ is a solution of (2) with $\phi(0^+) \ge 0$, then $\phi(t) \ge 0$ for all $t \ge 0$. And if $\phi(0^+) > 0$, then $\phi(t) > 0$ for all $t \ge 0$.

Definition 2. [18] System (2) is said to be permanent if there exist two positive constants m_0, M_0 such that each positive solution $(x_1(t), x_2(t), \dots, x_m(t), y(t))$ of system (2) satisfies

$$m_0 \le \liminf_{t \to \infty} x_i(t) \le \limsup_{t \to \infty} x_i(t) \le M_0, i = 1, 2, \dots, m,$$

$$m_0 \le \liminf_{t \to \infty} y(t) \le \limsup_{t \to \infty} y(t) \le M_0.$$

Remark 2. System (2) is said to be permanent if there exist two positive constants \hat{m}, \hat{M} such that each positive solution $(x_1(t), x_2(t), \ldots, x_m(t), y(t))$ of system (2) satisfies

$$\hat{m} \le x_i(t) \le \hat{M}, \ \hat{m} \le y(t) \le \hat{M}.$$

Lemma 3. [18] Any positive solution x(t) of the inequality problem

$$x'(t) \le x(t)[a - bx(t)]$$

satisfies $\lim_{t\to\infty} \sup x(t) \le \frac{a}{b}$, if a > 0, b > 0.

Now, we consider the following impulsive system:

$$\begin{cases} y'(t) = y(t)[r - ay(t)], & t \neq nT, n \in N, \\ \Delta y(t) = y(t^{+}) - y(t) = -Ey(t), & t = nT, n \in N, \end{cases}$$
 (5)

where notations in above system (5) are the same meaning as those in system (2). For system (5), we can obtain the following result:

Lemma 4. System (5) has a positive periodic solution

$$y^*(t) = \frac{r(1 - E - e^{-rT})}{a(1 - E - e^{-rT}) + aEe^{-r(t - nT)}},$$
 (6)

where $t \in (nT, (n+1)T], n = 0, 1, \dots$ Moreover,

- (1) let y(t) be any solution of system (5) satisfying initial condition $y(0^+) = c$, then $|y(t) - y^*(t)| \to 0 (t \to +\infty)$; (2) $y(t) \ge y^*(t)$ if $c \ge \frac{r(1-E-e^{-rT})}{a(1-E-e^{-rT})+aE}$.

Proof: It is not difficult to verify that $y^*(t)$ is a positive periodic solution of (5), one can refer to [16]. For any solution y(t) of system (5), which satisfies the initial condition $y(0^+) = c$, we have

$$y(t) = \left(c - \frac{r(1 - E - e^{-rT})}{a(1 - E - e^{-rT}) + aE}\right)e^{-rt} + y^*(t),$$

and $|y(t)-y^*(t)| \to 0 (t \to \infty)$. It is easy to see that $y(t) \ge y^*(t)$ if $c \ge \frac{r(1-E-e^{-rT})}{a(1-E-e^{-rT})+aE}$.

III. MAIN RESULTS

Theorem 1. Suppose that $E>\max_{1\leq i\leq m}\left\{1-e^{(\frac{ac}{2}-\frac{r_ia}{2d_ic}-r)T}\right\}$ and $c^2-\frac{r_i}{d_i}<\frac{2rc}{a}$, then

$$x_i(t) \to 0 (i = 1, 2, \dots, m), \ y(t) \to y^*(t), \ (t \to +\infty)$$

for any solution $(x_1(t), x_2(t), \dots, x_m(t), y(t))$ of system (2), where $y^*(t)$ is defined as (6). That is, enterprises A_{x_i} will be bankruptcy, and enterprise A_y will keep permanence.

Proof: Firstly, we will prove that $x_i(t) \to 0, t \to +\infty, i = 1, 2, \dots, m.$

Since $E>\max_{1\leq i\leq m}\{1-e^{(\frac{ac}{2}-\frac{r_ia}{2d_ic}-r)T}\}$, we can choose $\varepsilon_0>0$ such that

$$\delta := \left(2d_i c\varepsilon_0 + d_i c^2 - r_i - \frac{2d_i cr}{a}\right) T - \frac{2d_i c}{a} \ln(1 - E) > 0.$$

Noting that $y'(t) \ge y(t)[r-ay(t)]$, we consider the impulsive differential equation

$$\begin{cases} y_1'(t) = y_1(t)[r - ay_1(t)], \ t \neq nT, n \in N, \\ \Delta y_1(t) = -Ey_1(t), \ t = nT, n \in N, \\ y_1(0^+) = y(0^+) > 0. \end{cases}$$

From Lemma 1 and Lemma 4, we have $y(t) \ge y_1(t)$ and $y_1(t) \to y^*(t)(t \to +\infty)$. Thus

$$y(t) \ge y_1(t) > y^*(t) - \varepsilon_0 \tag{7}$$

holds for all large enough t. For simplicity, we may assume that (7) holds for all $t \ge 0$.

From the first equation of system (2), we have

$$x_{i}'(t) \leq x_{i}(t) \left[r_{i} - a_{i}x_{i}(t) - \sum_{j=1, j \neq i}^{m} b_{ij}x_{j}(t) - d_{i}(y^{*}(t) - \varepsilon_{0} - c)^{2} \right]$$

$$\leq x_{i}(t) [r_{i} + 2d_{i}c(y^{*}(t) - \varepsilon_{0}) - d_{i}c^{2}], \ i = 1, 2 \dots, m.$$

Integrating the above formula on (nT, (n+1)T], we obtain

$$x_{i}((n+1)T) \leq x_{i}(nT) \exp\left(\int_{nT}^{(n+1)T} \left[r_{i} + 2d_{i}c(y^{*}(t) - \varepsilon_{0}) - d_{i}c^{2}\right] dt\right)$$

$$= x_{i}(nT) \exp\left(r_{i}T - 2d_{i}c\varepsilon_{0}T - d_{i}c^{2}T + \frac{2d_{i}c}{a}[rT + \ln(1-E)]\right)$$

$$= x_{i}(nT) \exp(-\delta), i = 1, 2, \dots, m,$$

then $x_i(nT) \le x_i(0^+) \exp(-n\delta)$ and $\lim_{n \to \infty} x_i(nT) = 0$, $i = 1, 2 \dots, m$.

Notice that $x_i'(t) \leq x_i(t)r_i$, we have $0 < x_i(t) \leq x_i(nT) \times \exp[r_i(t-nT)] \leq x_i(nT) \exp(r_iT), t \in (nT, (n+1)T]$, which yields $x_i(t) \to 0$ as $t \to +\infty, i = 1, 2, \ldots, m$.

Now, we will prove that $y(t) \to y^*(t)$ when $x_i(t) \to 0$ (i = 1, 2, ..., m), $t \to +\infty$.

For $\varepsilon_1>0(\varepsilon_1$ is small enough), there exists a $\tilde{T}>0$ such that

$$0 < x_i(t) < \varepsilon_1 \text{ for all } t > \tilde{T}, i = 1, 2 \dots, m.$$
 (8)

For simplicity, we may assume (8) holds for all $t \ge 0$. Thus, we have

$$y(t)[r - ay(t)] \le y'(t) \le y(t)[r + dm(\varepsilon_1)^2 - ay(t)].$$

Considering the following impulsive differential systems

$$\begin{cases} y_1'(t) = y_1(t)[r - ay_1(t)], & t \neq nT, n \in N, \\ \Delta y_1(t) = -Ey_1(t), & t = nT, n \in N, \\ y_1(0^+) = y(0^+) > 0 \end{cases}$$

and

$$\begin{cases} y_2'(t) = y_2(t)[r + dm(\varepsilon_1)^2 - ay_2(t)], & t \neq nT, n \in N, \\ \Delta y_2(t) = -Ey_2(t), & t = nT, n \in N, \\ y_2(0^+) = y(0^+) > 0, \end{cases}$$

we have $y_1(t) \leq y(t) \leq y_2(t)$ and $y_1(t) \rightarrow y^*(t)(t \rightarrow +\infty), y_2(t) \rightarrow y_*(t)(t \rightarrow +\infty)$, where

$$y^*(t) = \frac{r(1 - E - e^{-rT})}{a(1 - E - e^{-rT}) + aEe^{-r(t - nT)}}$$

$$y_*(t) = \frac{(r + dm(\varepsilon_1)^2)(1 - E - e^{-(r + dm(\varepsilon_1)^2)T})}{a(1 - E - e^{-(r + dm(\varepsilon_1)^2)T}) + aEe^{-(r + dm(\varepsilon_1)^2)(t - nT)}}.$$

Then, for any $\epsilon > 0$, there exists a $\bar{T} > 0$ such that

$$y^*(t) - \epsilon < y_1(t) \le y(t) \le y_2(t) < y_*(t) + \epsilon$$

for $t > \bar{T}$. Let $\varepsilon_1 \to 0$, we obtain that $y(t) \to y^*(t)$, $t \to +\infty$. The proof is completed.

Theorem 2. Suppose that

(H₁)
$$\frac{r_i}{d_i} = \frac{c^2T - \frac{2c}{a}(rT + \ln(1-E))}{T}$$
, $i = 1, 2, ..., m$; (H₂) $c \ge \frac{r(1-E-e^{-rT})}{a(1-E-e^{-rT}) + aE}$

hold, then any solution $(x_1(t), x_2(t), \dots, x_m(t), y(t))$ of system (2) satisfies

$$x_i(t) \to 0 (i = 1, 2, \dots, m), \ y(t) \to y^*(t), \ (t \to +\infty),$$

where $y^*(t)$ is defined as (6). That is, enterprises A_{x_i} will be bankruptcy, and the enterprise A_y will keep permanence.

Proof: Noting that $y'(t) \geq y(t)[r-ay(t)]$, we consider the impulsive differential system

$$\begin{cases} y_3'(t) = y_3(t)[r - ay_3(t)]), & t \neq nT, n \in N, \\ \Delta y_3(t) = -Ey_3(t), & t = nT, n \in N, \\ y_3(0^+) = y(0^+) > 0. \end{cases}$$

By condition (H_2) and Lemma 4, we get $y(t) \ge y_3(t) \ge y^*(t)$ and $y_3(t) \to y^*(t)(t \to +\infty)$, where $y^*(t)$ is defined as (6).

From the first equation of system (2), we have

$$x'_{i}(t) \le x_{i}(t) \left[r_{i} - a_{i}x_{i}(t) - \sum_{j=1, j \neq i}^{m} b_{ij}x_{j}(t) \right]$$

$$-d_{i}(y^{*}(t) - c)^{2}$$

$$\leq x_{i}(t)[r_{i} - a_{i}x_{i}(t) + 2d_{i}cy^{*}(t) - d_{i}c^{2}],$$

where i = 1, 2, ..., m. Integrating the above formula over (nT, (n+1)T] and applying condition (H_1) , we obtain that

$$x_{i}[(n+1)T] \leq x_{i}(nT) \exp\left(\int_{nT}^{(n+1)T} [r_{i} - a_{i}x_{i}(t) + 2d_{i}cy^{*}(t) - d_{i}c^{2}]dt\right)$$

$$= x_{i}(nT) \exp\left(r_{i}T - d_{i}c^{2}T\right)$$

$$-a_{i} \int_{nT}^{(n+1)T} x_{i}(t)dt$$

$$+ \frac{2d_{i}c}{a}[rT + \ln(1-E)]$$

$$= x_{i}(nT) \exp(-X_{n}), i = 1, 2..., m, \quad (9)$$

where $X_n=a_i\int_{nT}^{(n+1)T}x_i(t)\mathrm{d}t, i=1,2\dots,m.$ We conclude that $\lim_{n\to\infty}X_n=0$. If it is not true, we assume that $\limsup_{n\to\infty}X_n=\omega>0$, there exists subsequence $\{X_{n_k}\}$ of $\{X_n\}$ such that $\limsup_{k\to\infty}X_{n_k}=\omega.$ Then, there exists a $K\in N$ such that $X_{n_k}>\frac{\omega}{2}$ for k>K, which yields

$$\sum_{n=1}^{\infty} X_n > \sum_{k=1}^{\infty} X_{n_k} \to +\infty.$$

From $x_i[(n+1)T] \le x_i(nT) \exp(-X_n)$, i = 1, 2, ..., m, we have

$$x_i(nT) \le x_i(0^+) \exp(-\sum_{j=0}^n X_j) \to 0 \ (n \to \infty),$$

where i = 1, 2, ..., m.

Notice that $x_i'(t) \leq x_i(t)r_i$, we have $0 < x_i(t) \leq x_i(nT) \exp(r_iT)$, $t \in (nT, (n+1)T]$, then $x_i(t) \to 0$ as $t \to +\infty$, $i = 1, 2 \dots, m$. Moreover, $X_n \to 0$ as $n \to \infty$, which is a contradiction. Therefore, $\lim_{n \to \infty} X_n = 0$. From (9), it is easy to see that $x_i(t) \to 0$ ($i = 1, 2 \dots, m$), $t \to +\infty$.

Next, similar to the proof of the second part of Theorem3.1, combined with the above proof of this theorem, we can finally obtain that $y(t) \to y^*(t)(t \to +\infty)$, where $y^*(t)$ is defined as (6). This completes the proof.

One of the most important questions in economy is to find the permanence conditions for enterprises cluster, which has received a great deal of attention of many mathematicians and economists. Now, we will present the result of permanence for enterprises cluster.

Theorem 3. Suppose that

$$(H_3) \ \ 0 < E < 1 - e^{-rT};$$
 $(H_4) \ \min_{1 \le i \le m} \{ \frac{r_i}{d_i} \} > M^2, \ \textit{where}$

$$M = \max \left\{ M_1, \frac{(r + dm(M_1)^2)(1 - E - e^{-(r + dm(M_1)^2)T})}{a(1 - E - e^{-(r + dm(M_1)^2)T})} \right\},$$

$$M_1 = \max_{1 \le i \le m} \left\{ \frac{r_i}{a_i} \right\}$$

hold, then system (2) is permanent. That is, the enterprises A_{x_i} and A_y will be co-existence.

Proof: By condition (H_4) , there exists a positive constant ϵ_0 such that

$$\delta := r_i - d_i M^2 - \left(a_i + \sum_{j=1, j \neq i}^m b_{ij} \right) \epsilon_0 > 0.$$

Since $x_i'(t) \le x_i(t)[r_i - a_i x_i(t)], i = 1, 2, \dots, m$, by Lemma 3 and Lemma 4, we have

$$\limsup_{t \to \infty} x_i(t) \le \frac{r_i}{a_i} \le \max_{1 \le i \le m} \left\{ \frac{r_i}{a_i} \right\} = M_1, \quad i = 1, 2, \dots, m.$$

Noting that $y(t)[r-ay(t)] \le y'(t) \le y(t)[r+dm(M_1)^2-ay(t)]$, similar to the proof of Theorem 1, we obtain that

$$y_1(t) \le y(t) \le y_2(t)$$

and

$$y_1(t) \to \tilde{y}^*(t), \ y_2(t) \to \tilde{y}_*(t)(t \to +\infty),$$

where y_1, y_2 are the solutions of the following impulsive differential equations

$$\begin{cases} y_1'(t) = y_1(t)[r - ay_1(t)], & t \neq nT, n \in N, \\ \Delta y_1(t) = -Ey_1(t), & t = nT, n \in N, \\ y_1(0^+) = y(0^+) > 0 \end{cases}$$

and

$$\begin{cases} y_2'(t) = y_2(t)[r + dm(M_1)^2 - ay_2(t)]), & t \neq nT, n \in N, \\ \Delta y_2(t) = -Ey_2(t), & t = nT, n \in N, \\ y_2(0^+) = y(0^+) > 0, \end{cases}$$

respectively. Moreover, we have

$$\tilde{y}^*(t) = \frac{r(1 - E - e^{-rT})}{a(1 - E - e^{-rT}) + aEe^{-r(t - nT)}},$$

$$\tilde{y}_*(t) = \frac{[r + dm(M_1)^2][1 - E - e^{-(r + dm(M_1)^2)T}]}{a(1 - E - e^{-(r + dm(M_1)^2)T}) + aEe^{-(r + dm(M_1)^2)(t - nT)}}.$$

It follows that for any $\epsilon > 0$, there exists a T' > 0 such that

$$\tilde{y}^*(t) - \epsilon < y_1(t) \le y(t) \le y_2(t) < \tilde{y}_*(t) + \epsilon, \ t > T'.$$

Since the arbitrariness of ϵ , we have

$$\tilde{y}^*(t) \le y(t) \le \tilde{y}_*(t).$$

Let

$$M_2 = \sup\{\tilde{y}_*(t), t \ge 0\}$$

$$= \frac{(r + dm(M_1)^2)(1 - E - e^{-(r + dm(M_1)^2)T})}{a(1 - E - e^{-(r + dm(M_1)^2)T})},$$

$$m_2 = \inf\{\tilde{y}^*(t), t \ge 0\} = \frac{r(1 - E - e^{-rT})}{a(1 - E - e^{-rT}) + aEe^{rnT}},$$

then $m_2 < y(t) < M_2, 0 < m_2, M_2 < +\infty, t \ge 0.$

Therefore,

$$x_i(t) < M, \ y(t) < M, \ t \ge 0, \ i = 1, 2, \dots, m.$$
 (10)

Now, we will prove that there exists a constant $m_1 > 0$ such that $m_1 \leq \liminf x_i(t)$.

Assume that there exists positive constant \hat{T} such that $x_i(t) \leq \epsilon_0$ for all $t \geq \hat{T}$, then when n is large enough such that $nT > \hat{T}$, for $t \in (nT, (n+1)T]$, we have

$$x_{i}((n+1)T) > x_{i}(nT) \exp\left(\int_{nT}^{(n+1)T} \left[r_{i} - a_{i}\epsilon_{0} - \epsilon_{0} \sum_{j=1, j \neq i}^{m} b_{ij} - d_{i}(M_{2})^{2}\right] dt\right)$$

$$> x_{i}(nT) \exp\left(\int_{nT}^{(n+1)T} \left[r_{i} - d_{i}M^{2} - \left(a_{i} + \sum_{j=1, j \neq i}^{m} b_{ij}\right)\epsilon_{0}\right] dt\right)$$

$$= x_{i}(nT) \exp(\delta T), i = 1, 2, \dots, m,$$

hence $x_i(nT) > x_i(0^+) \exp(n\delta T) \to +\infty, n \to \infty$. Thus, $x_i(t) \to +\infty (i=1,2,\ldots,m)$ as $n \to \infty$, which is a contradiction.

For $i=1,2,\ldots,m$, suppose that $x_i(t)$ are oscillatory about ϵ_0 . Choose two sequences $\{u_n\}$ and $\{\bar{u}_n\}$ satisfying

$$0 < u_1 < \bar{u}_1 < u_2 < \bar{u}_2 < \ldots < u_n < \bar{u}_n < \ldots$$

and $\lim_{n\to\infty} u_n = \lim_{n\to\infty} \bar{u}_n = +\infty$, $\bar{u}_n - u_n \geq T$, and

$$x_i(u_n) \ge \epsilon_0, \ x_i(u_n^+) \le \epsilon_0, \ x_i(\bar{u}_n) \le \epsilon_0, \ x_i(\bar{u}_n^+) \ge \epsilon_0,$$

where $n = 1, 2, \ldots$, then

$$x_i(t) \le \epsilon_0, \ t \in (u_n, \bar{u}_n], \ n = 1, 2, \dots,$$

 $x_i(t) \ge \epsilon_0, \ t \in (\bar{u}_n, u_{n+1}], \ n = 1, 2, \dots$

For $t \in (u_n, \bar{u}_n]$, we have

$$x_i'(t) > x_i(t) \left[r_i - a_i \epsilon_0 - \epsilon_0 \sum_{j=1, j \neq i}^m b_{ij} - d_i(M_2)^2 \right],$$

$$x_i(t) > x_i(u_n) \exp\left(\int_{u_n}^t \left[r_i - a_i \epsilon_0 - \epsilon_0 \sum_{j=1, j \neq i}^m b_{ij} - d_i(M_2)^2 \right] ds \right)$$

$$> \epsilon_0 \exp(-\xi T), \quad i = 1, 2, \dots, m,$$

where
$$\xi := \max_{1 \le i \le m} \left\{ r_i + a_i \epsilon_0 + \epsilon_0 \sum_{j=1, j \ne i}^m b_{ij} + d_i(M_2)^2 \right\}$$
.

$$x_i(t) > \epsilon_0 \exp(-\xi T), \ t \in (u_n, \bar{u}_n].$$

On the other hand, for $t \in (\bar{u}_n, u_{n+1}]$, we have $x_i(t) \ge \epsilon_0 > \epsilon_0 \exp(-\xi T)$. Therefore, $x_i(t) > \epsilon_0 \exp(-\xi T)$ for all $t \ge 0$. Let $m_1 := \epsilon_0 \exp(-\xi T)$, we have $x_i(t) > m_1$.

Choose $m := \min\{m_1, m_2\}$, we have

$$x_i(t) > m, \ y(t) > m, \ t \ge 0, \ i = 1, 2, \dots, m.$$
 (11)

From (10) and (11), we conclude that system (2) is permanent. The proof is completed.

IV. EXAMPLES

In this section, we present three examples to illustrate the feasibility and effectiveness of our results obtained in Section 3.

Example 1. In system (2), we take $T = 1, m = 2, E = 0.8, r_1 = 1, r_2 = 1.5, a_1 = 0.8, a_2 = 0.9, b_{12} = 0.5, b_{21} = 0.8, d_1 = 0.9, d_2 = 0.8, r = 1.8, a = 0.8, d = 0.6, c_1 = 1.5, c_2 = 1.8, c = 2.$ We consider the following system:

$$\begin{cases} x'_1(t) = x_1(t)[1 - 0.8x_1(t) - 0.5x_2(t) - 0.9(y(t) - 2)^2], \\ x'_2(t) = x_2(t)[1.5 - 0.9x_2(t) - 0.8x_1(t) - 0.8(y(t) - 2)^2], \\ y'(t) = y(t)[1.8 - 0.8y(t) + 0.6(x_1(t) - 1.5)^2 \\ + 0.6(x_2(t) - 1.8)^2], \\ \Delta x_i(t) = x_i(t^+) - x_i(t) = 0, \\ \Delta y(t) = y(t^+) - y(t) = -0.8y(t). \end{cases}$$

By calculating, it is easy to check that all conditions in Theorem 1 are fulfilled. Hence, by Theorem 1, we have the enterprises A_{x_i} do not develop and may be bankruptcy, and the enterprise A_y keep certain power to be permanent.

Example 2. In system (2), we take T = 1, m = 2, E = 0.8, $r_1 = 1.64, r_2 = 1.8$, $a_1 = 0.7, a_2 = 0.5$, $b_{12} = 0.75, b_{21} = 0.8$, $d_1 = 0.8, d_2 = 0.88$, r = 2, a = 0.45, d = 0.3, $c_1 = 1$, $c_2 = 1.5$, c = 2. We consider the following system:

$$\begin{cases} x'_1(t) = x_1(t)[1.64 - 0.7x_1(t) - 0.75x_2(t) - 0.8(y(t) - 2)^2], \\ x'_2(t) = x_2(t)[1.8 - 0.5x_2(t) - 0.8x_1(t) - 0.88(y(t) - 2)^2], \\ y'(t) = y(t)[2 - 0.45y(t) + 0.3(x_1(t) - 1)^2 \\ + 0.3(x_2(t) - 1.5)^2], \\ \Delta x_i(t) = x_i(t^+) - x_i(t) = 0, \\ \Delta y(t) = y(t^+) - y(t) = -0.8y(t). \end{cases}$$

By calculating, we can check that all conditions in Theorem 2 are fulfilled. Therefore, by Theorem 2, we have the enterprises A_{x_i} do not develop and may be bankruptcy, and the enterprise A_y keep certain power to be permanent.

Example 3. In system (2), we take T = 1, m = 2, E = 0.6, $r_1 = 2.8$, $r_2 = 3$, $a_1 = 1$, $a_2 = 1$, $b_{12} = 0.3$, $b_{21} = 0.22$, $d_1 = 0.1$, $d_2 = 0.12$, r = 2.5, a = 0.9, d = 0.1, $c_1 = 1$, $c_2 = 1.5$, c = 2. We consider the following system:

$$\begin{cases} x_1'(t) = x_1(t)[2.8 - 0.8x_1(t) - 0.3x_2(t) - 0.125(y(t) - 2)^2], \\ x_2'(t) = x_2(t)[3 - 0.75x_2(t) - 0.22x_1(t) - 0.12(y(t) - 2)^2], \\ y'(t) = y(t)[2.5 - 0.6y(t) + 0.3(x_1(t) - 1)^2 \\ +0.3(x_2(t) - 1.5)^2], \\ \Delta x_i(t) = x_i(t^+) - x_i(t) = 0, \\ \Delta y(t) = y(t^+) - y(t) = -0.6y(t). \end{cases}$$

We check that all conditions in Theorem 3 are fulfilled. Hence, by Theorem 3, we have system (2) is permanent, which indicates that the enterprises A_{x_i} and enterprise A_y will be co-existence.

From examples above, we can see that core enterprise has certain capability and competitive power, which make it occupy a certain superiority in center halfback model.

World Academy of Science, Engineering and Technology International Journal of Mathematical and Computational Sciences Vol:5, No:8, 2011

For satellite enterprise, except for self-development, it has to face the competition from other satellite enterprises and dominant enterprise. When intrinsic growth rate decreases and the competitive power of competitors increase, the fate of decline even extinction is unavoidable, which is according to economic rules. In addition, as we can see from theoretical results, impulsive effect is also an important factor to affect the fate of enterprises cluster. Therefore, self-development, market-saturation degree, competition power and impulse perturbations are important factors to affect the fate of enterprises cluster.

The study has some theoretical and practical meanings and value in a certain extent. However, in real and complex economic situation, considering into more factors which affect enterprises cluster, the model will be more complex. The model we establish is autonomous system and we ignore some factors such as the effect of time delay and control variables, and so on, which will or not affect the fate of enterprises cluster? It is our future work.

ACKNOWLEDGMENT

This work is supported by the National Natural Sciences Foundation of People's Republic of China under Grant 10971183 and the projects of Science and Technology in Yunnan Province under Grant 2007A159M.

REFERENCES

- L.G. Gu, K. Fang, Ecology Research about Enterprise, Science & Technology Progress and Policy, (in Chinese) 24 (10) (2007) 119-123.
- [2] H. Zhou, Enterprises cluster co-existence model and stability analysis, Systems Engineering, (in Chinese) 21 (4) (2003) 32-37.
- [3] B.T. Wang, H.Y. Shu, Research on competition in mobile communications market: ecological model, Journal of Beijing Union University(Natural Science Edition), (in Chinese) 20 (2) (2006) 27-30.
- [4] Q. Guo, Competitive strategies in an enterprise: an ecological model, Contemporary Economic Management, (in Chinese) 27 (2) (2005) 49-52.
- [5] Z. Wang, R.Y. Pan, Analysis to the equilibrium of industrial clusters based on ecological model, Statistical Thinktank, (in Chinese) 8 (2008) 32-35.
- [6] W.H. Li, F.R. Han, Studies on coordinated evolution laws between industry populations and imperial analysis, Chinese Journal of Management Science, (in Chinese) 12 (5) (2004) 137-143.
- [7] R. Zhang, X.S. Qian, Z. Gao, A competitive model of enterprises based on ecology theory, System Engineering, (in Chinese) 26 (2008) 116-119.
- [8] H.Y. Yi, W. Liu, Identifying the core competitive power of company based on the model of product population competition, Journal of Management Sciences, (in Chinese) 20 (3) 2007 16-22.
- [9] M.E. Porter, Cluster and the new economics of competition, Harvard Business Review, (1998)(November-December) 77-90.
- [10] J.C. Wang, The Space of Innovation-enterprise Cluster and Region Development, Beijing University Press, Beijing, 2001.
- [11] J. Hou, H.H. Liu, Permanence and asymptotic behavior of the nonautonomous Lotka-Volterra competitive system with impulses, Journal of Biomathematics, (in Chinese) 24 (2) (2009) 213-221.
- [12] Z.J. Yao, Permanence and extinction of impulsive Lotka-Volterra system, Journal of Hangzhou Normal University, (in Chinese) 7 (4) (2009) 246-251.
- [13] S. Ahmad, I.M. Stamova, Asymptotic stability of an N-dimensional impulsive competitive system, Nonlinear Anal. Real World Appl, 8 (2007) 654-663.
- [14] P. Georgescu, I.M. Stamova, An impulsively controlled predator-pest model with disease in the pest, Nonlinear Anal. Real World Appl, 11 (2010) 270-287.
- [15] X.H. Tian, Q.K. Nie, On model construction of enterprises' interactive relationship from the perspective of business ecosystem, Southern Economics Journal, (in Chinese) 4 (2006) 50-57.

- [16] H.J. Guo, L.S. Chen, The effect of impulsive harvest on a predator-prey system with distributed time delay, Nonlinear Science and Numerical Simulation, 14 (5) (2009) 2301-2309.
- [17] V. Lakshmikantham, D.D. Bainov, P.S. Simeonov, Theory of impulsive differential equations, Singapore: World Scientific Press, 1989.
- [18] Y.H. Fan, L.L. Wang, Global asymptotical stability of a Logistic model with feedback control, Nonlinear Anal. Real World Appl, 11 (2010) 2686-2607