

# Feature Extraction of Dorsal Hand Vein Pattern using a fast modified PCA algorithm based on Cholesky decomposition and Lanczos technique

Maleika Heenaye- Mamode Khan , Naushad Mamode Khan and Raja K.Subramanian

*Abstract*—Dorsal hand vein pattern is an emerging biometric which is attracting the attention of researchers, of late. Research is being carried out on existing techniques in the hope of improving them or finding more efficient ones. In this work, Principle Component Analysis (PCA) , which is a successful method, originally applied on face biometric is being modified using Cholesky decomposition and Lanczos algorithm to extract the dorsal hand vein features. This modified technique decreases the number of computation and hence decreases the processing time. The eigenveins were successfully computed and projected onto the vein space. The system was tested on a database of 200 images and using a threshold value of 0.9 to obtain the False Acceptance Rate (FAR) and False Rejection Rate (FRR). This modified algorithm is desirable when developing biometric security system since it significantly decreases the matching time

*Keywords*—Dorsal hand vein pattern, PCA, Cholesky Decomposition, Lanczos algorithm.

## I. INTRODUCTION

Traditional personal verification methods such as passwords, personal identification numbers (PINS), magnetic swipe cards, keys and smart cards offer very limited security and are unreliable [1], [2]. Biometric which involves the analysis of human biological, physical and behavioral characteristics has been developed to ensure more reliable security. The most popular biometric features that are used are fingerprints, hand geometry, iris scans, faces, as well as handwritten signatures. Recently dorsal hand vein pattern biometric is attracting the attention of researchers and is gaining momentum. Anatomically, aside from surgical intervention, the shape of vascular patterns in the back of the hand is distinct from each other. Veins are found below the skin and cannot be seen with naked eyes. Its uniqueness, stability and immunity to forgery are attracting researchers. These feature makes it a more reliable biometric for personal identification [3]. Furthermore, the state of skin, temperature and humidity has little effect on the vein image, unlike fingerprint and facial feature acquirement [4]. The hand vein biometrics principle is non- invasive in nature where dorsal hand vein pattern are used to verify the identity of individuals [5]. Vein pattern is also stable, that is, the shape of the vein remains unchanged even

when human being grows.

Extensive researches are carried out on vein patterns and researchers are striving hard to find methods and techniques to develop dorsal hand vein security system. Any biometric system consists of four main steps namely the preprocessing, feature extraction, processing and matching phase. Feature extraction is a crucial step in biometric system and its capability directly influence the performance of the system. Principle Component Analysis (PCA) which is a famous technique for extracting features from images have been used in biometric security system. PCA is a method proposed by Turk and Pentland [6] for automatic recognition of human faces to obtain eigenfaces. The system functions by projecting face images onto a feature space that spans the significant variations among known face images. These significant features are termed "eigenfaces" because they are principle components of the set of training face images. PCA was also applied on human hand since the human hand contains a variety of features, for example, shape, texture and principal palm lines that can be used for biometric systems. Features extracted by projecting palm images into the subspace obtained by the PCA transform are called eigenpalm features, whereas those extracted by projecting images of fingers and thumb are called eigenfinger and eigenthumb features [7].

We have extended the idea of using PCA to the dorsal hand vein pattern and used it to obtain eigenveins for matching [8]. Furthermore, we modified this PCA algorithm by decomposing the covariance matrix of the training set of the images using Cholesky decomposition [9]. This new PCA algorithm provides us with satisfactory results. The matching time is reduced by approximately 7s which is very encouraging in biometric security system. However, we note that the computation of eigenveins are quite costly and takes time since the matrices are high-dimensional. There is scope to further improve the PCA technique by integrating the Cholesky decomposition along with the Lanczos technique [10], [11] of calculating the eigenvalues of the covariance matrix. Thereafter, we use these eigenvalues to generate the set of eigenveins.

The paper is laid as follows: In section 2, we describe the pre-processing phases applied on the dorsal hand vein pattern and a Cartesian-based block matrix representation of the dorsal hand vein pattern. Section 3 explains the modified PCA algorithm based on the Cholesky decomposition and the Lanczos technique. In section 4, we perform the vein pattern matching. Experimental results are presented in section 5 and finally section 6 concludes the paper.

N.Mamode Khan is is a PhD student in the Department of Mathematics, Faculty of Science, University of Mauritius(e-mail: alimamode@yahoo.co.uk)

R.K.Subramanian is a Professor from University of Mauritius, Department of Computer Science, Faculty of Engineering (e-mail: rksuom@yahoo.co.in).

M.Heenaye- Mamode Khan is a lecturer from University of Mauritius, in the department of Computer Science, Faculty of Engineering , Reduit (email: m.mamodekhan@ uom.ac.mu)

## II. A NOVEL REPRESENTATION OF DORSAL HAND VEIN FEATURES BASED ON A CARTESIAN BLOCK MATRIX

In this section, we present a novel representation of the dorsal hand vein pattern. This approach consists of a block matrix training set to represent the dorsal hand vein features. Firstly, it is important to obtain the vein pattern in the image captured. This procedure requires image acquisition, hand segmentation, vein pattern segmentation, noise filtering and thinning of the vein pattern. After these preprocessing techniques, we obtain an image consisting of a background represented in black and a thinned vein pattern in white.

### A. Image Acquisition

Vein pattern is found beneath the skin and is invisible to the naked eye. Vein images can only be captured by using either near infrared or far infrared light. However, according to research better quality images can be obtained using near infrared light [12]. A thermal camera or alternative setup like using a charge coupled device (CCD) with alternative devices like infrared filter and frame grabber can be used to capture the dorsal hand vein pattern. Up to now, there is currently no public hand vein pattern database available to the research community [13]. In this work a database of 200 hand dorsal vein pattern was obtained by a group of researchers under the supervision of Prof. Ahmed Badawi from University of Tennessee Knoxville. The images were taken with a commercially available conventional charge couple device (CCD) monochrome camera. The hand was presented as a clenched fist with the thumb and all the other fingers hidden. In the setup the intensity of the IR source is attenuated by the use of diffusing paper, which also helps for obtaining an equally distributed illumination on the hand area. A frame grabber is used to capture the image for computer processing. Images were captured using a  $320W \times 240H$  pixels video digitizer with a gray-scale resolution of 8-bits per pixel [5], [14], [15].

### B. Hand and Vein pattern segmentation

When a hand image is obtained, the hand background is first segmented from the image. For hand segmentation, morphological operations are applied on the hand image to estimate the background of the hand region. The two morphological operations are dilation and erosion, where dilation is an operation that "grows" objects and erosion "thins" objects in a binary image. Erosion followed by dilation was used and this creates an important morphological transformation called opening. The background was subtracted from the original image. This allows us to obtain the region of interest. The contrast that varies all over the vein image has been adjusted. After this operation the hand is being segmented. In order to obtain the vein pattern, the image is then thresholded. Thresholding is the most common segmentation method which is computationally fast and inexpensive.

### C. Enhancement and Thinning of the Vein Pattern

The clearness of the vein pattern varies from image to image. Thus, we had to enhance the quality of the image

to obtain the vein structures. We used Match filter, Wiener filter and smoothing filter as proposed by S.Zhao, Y.Wang and Y.Wang [17] to suppress noises that exist in the vein pattern. This allowed us to obtain clearer vein pattern for feature extraction. As the size of veins grow as human beings grow, only the shape of the vein pattern is used as the sole feature to recognize each individual. A good representation of the pattern's shape is via extracting its skeleton. A thinning algorithm was devised to obtain a thinned version of the vein pattern. Pruning eliminates the shadow in the images and retains the main vein patterns.

The resulting image is represented as a binary matrix of size  $320 \times 240$  where the black color is coded as 0 and the white color is coded as 1. We provide an alternative matrix representation that converts these binary codes into a two-dimensional cartesian coordinate system where the black color takes value 0 for both the  $x$  and  $y$  co-ordinates and the white color is indexed by its  $i^{th}$  and  $j^{th}$  position in the binary matrix. We illustrate this concept through the following examples: Assume a  $3 \times 3$  sub-matrix from the  $320 \times 240$  binary image matrix.

$$\begin{pmatrix} 0 & 1 & 1 \\ 1 & 1 & 1 \\ 0 & 0 & 1 \end{pmatrix} \quad (1)$$

We convert this matrix in cartesian system as follows:

$$\begin{pmatrix} 0 & 0 & 1 & 2 & 1 & 3 \\ 2 & 1 & 2 & 2 & 2 & 3 \\ 0 & 0 & 0 & 0 & 3 & 3 \end{pmatrix} \quad (2)$$

Ultimately, the size of the two-dimensional cartesian coordinate based image matrix will be of size  $320 \times 240 \times 2$ . Assuming  $I$  images for training set  $X$ , i.e.,

$$X = [X_1, X_2, \dots, X_i, \dots, X_I] \quad (3)$$

where

$$X_i = \begin{pmatrix} X_{i,1,1} & X_{i,1,2} & \dots & X_{i,1,240 \times 2} \\ X_{i,2,1} & X_{i,2,2} & \dots & X_{i,2,240 \times 2} \\ \vdots & \vdots & \vdots & \vdots \\ X_{i,320,1} & X_{i,320,2} & \dots & X_{i,320,240 \times 2} \end{pmatrix} \quad (4)$$

where

$$X_{ijk} = (x_{ij}, y_{ik}) \quad (5)$$

where  $i$  is the index for the  $i^{th}$  image,  $j$  is the index corresponding  $x$  co-ordinate of the  $i^{th}$  image and  $k$  is the index corresponding to the  $y$  co-ordinate of the  $i^{th}$  image where  $i = 1, \dots, I$ ,  $j = 1, \dots, 320$  and  $k = 1, \dots, 240 \times 2$ . Hence, the training block matrix  $X_i$  is of size  $320 \times 2 \times I \times 240$ . As it can be noted, the size of this matrix is large especially when  $I$  is large. To overcome this problem, we represent the dorsal hand vein features using the covariance matrix of the image points. This matrix will also measure the degree of correlation among the vein data.

$$C = \frac{1}{I} \sum_{i=1}^I \phi_i \phi_i^T \quad (6)$$

In our context,  $\phi_i$  is a  $320 \times 240$  matrix where the  $(j, k)^{th}$  element of  $\phi_i$  are given by

$$\phi_{ij} = x_{ij} - \psi_j \quad (7)$$

and

$$\phi_{ik} = y_{ij} - \psi_k \quad (8)$$

where

$$\psi_j = \frac{1}{I} \sum_{i=1}^I x_{ij} \quad (9)$$

and

$$\psi_k = \frac{1}{I} \sum_{i=1}^I y_{ik} \quad (10)$$

where  $x_{ij}$  and  $y_{ik}$  are the corresponding  $x$  and  $y$  coordinates from equation(5). Equation (6) can be re-formulated as

$$C = \frac{1}{I} AA^T \quad (11)$$

Following the PCA method of Turk and Pentland [6], we obtain

$$A^T A v_i = \mu_i v_i \quad (12)$$

Applying the above formulae provides satisfactory results. However, the computational time can further be reduced by modifying the matrices using Cholesky decomposition and Lanczos algorithm. This will eventually allow recognition of users faster.

### III. MODIFIED PCA INTEGRATING CHOLESKY DECOMPOSITION AND LANCZOS ALGORITHM (MPCACL)

Cholesky decomposition is a form of triangular decomposition that is applied to positive definite symmetric or positive definite Hermitian matrices. A symmetric or Hermitian matrix  $A$  is said to be positive definite if  $x^T A x > 0$  for any non-zero  $x$ . Positive definite matrix is one that has all eigenvalues greater than zero. At first, we use the matrix  $A^T A$  to calculate the eigenveins. The matrix  $A^T A$  is a symmetric positive definite matrix. We note that the matrix involve many flop counts and in terms of computation, it is quite time consuming and expensive. We propose instead to simplify this matrix  $A^T A$  by the Cholesky decomposition since it is well symmetric positive definite. The Cholesky decomposition yields two lower triangular matrices. We use one of these two matrices to calculate the eigenveins by multiplying its diagonal elements. It is to be noted that through simulations, we have seen that there is no loss of information regarding the matching of the eigenveins. Consider the formula below,

$$A^T A v_i = \mu_i v_i \quad (13)$$

Instead of calculating the eigenvalues of  $A^T A$ , Cholesky decomposed triangular matrix was used to calculate the eigenvalues, i.e,  $A^T A$  can be written  $LL^T$  where  $L$  is the lower triangular matrix and  $LL^T$  is the decomposition of  $A^T A$ . The eigenvalues are obtained using the following formula:

$$L v_i = \mu_i v_i \quad (14)$$

where  $v_i$  is the eigenvein corresponding to the eigenvalue  $\mu_i$ . Instead of using the conventional method, that is, solving characteristic polynomial to obtain eigenvalues, we propose to calculate the eigenvalues using the Lanczos algorithm. Below, we provide the steps to calculate the vector of eigenvalues using the Lanczos algorithm.

- 1) Let  $\mu_i$  be a random vector of norm 1
- 2)  $\mu_0 \leftarrow 0$
- 3)  $\beta_1 \leftarrow 1$
- 4) for  $j = 1, 2, 3, \dots$ , until convergence
- 5)  $\omega_j \leftarrow L \mu_j - \beta_j \mu_{j-1}$
- 6)  $\alpha_j \leftarrow \omega_j^T \mu_j$
- 7)  $\omega_j \leftarrow \omega_j - \alpha_j \mu_j$
- 8)  $\beta_{j+1} \leftarrow \|\omega_j\|$
- 9)  $\mu_{j+1} \leftarrow \frac{\omega_j}{\beta_{j+1}}$

For each eigenvector, a family of eigenvein has to be generated. However, many eigenveins are being generated. In order to determine how many eigenveins are required, the following formula is being used:

$$\frac{\sum_{i=1}^{2N'} \mu_i}{\sum_{j=1}^{320} \mu_j} > 0.9 \quad (15)$$

$$\frac{\sum_{i=1}^{2N'} \mu_i}{\sum_{j=1}^{320} \mu_j} > 0.95 \quad (16)$$

We have already obtained  $2N'$  eigenveins. For each element in the training set, the weight is calculated. This weight will demonstrate the contribution of each eigenvein to respective training element. If the weight is bigger, then the eigenvein has shown the real vein. If the weight is small, this implies there is no huge contribution with the real vein for that particular eigenvalue. The following operation shows how each element in the training set is projected onto the vein space:

$$\varphi_k = \frac{1}{320 \times 240} \sum_{i=1}^{320} \sum_{j=1}^{240} (L v_k)^T (X_{ij}^T - \phi_j^T) \quad (17)$$

Each element in the training set has a weight to determine their contribution they have to the vein space [8], [9].

### IV. VEIN PATTERN MATCHING

When a person wants to get access to the system, the picture of the vein is captured. The coordinates are obtained and represented as the training set. The weight of the new image is calculated and projected on the vein space. If it is vein image, then it is accepted. The vein space contains all the vein images. Thus, we have to check whether the input image exist in that space. The Euclidean distance between the projected image and those stored is being calculated. First of all, our system checks whether the test image is a vein by testing it with an arbitrary value. Then the Euclidean distance is computed to check whether the test image exist in the database. The results were recorded and analyzed.

## V. EXPERIMENTAL RESULTS

Principle component analysis has been modified based on Lanczos algorithm to obtain the eigenvein features. Different threshold values are used for vein pattern matching to deduce the false acceptance rate and the false rejection rate. False Acceptance Rate refers to the total number of unauthorized persons getting access to the system over the total number of people attempting to use the system. False Rejection Rate refers to the total number of authorized persons not getting access to the system over the total number of people attempting to get access to the system. Table 1 shows the experimental results obtained. By choosing the threshold to be 0.95, the system achieves 1 percent of false acceptance rate and 2 percent of false rejection rate. However when choosing the threshold to be 0.9, the system achieves 0 percent false acceptance rate and 0 percent false rejection rate. The threshold 0.9 is the ideal threshold value since it caters for some variations in the image captured. The results obtained are encouraging but however it was tested on a small database where the images were taken in a controlled manner. Our

TABLE I  
 FALSE ACCEPTANCE RATE AND FALSE REJECTION RATE

Threshold value	False acceptance rate	False rejection rate
0.1	98	99
0.2	82	79
0.3	69	65
0.4	47	44
0.5	32	32
0.6	21	19
0.7	11	10
0.8	4	3
0.9	0	0
0.95	1	2

TABLE II  
 COMPARISON OF TIME USING PCA AND MPCACL

Number of Images	PCA (sec)	MPCACL (sec)	Diff
100	1400	650	-750
80	1130	310	-820
60	843	350	-493
40	560	265	-295
20	278	118	-160
10	135	52	-83

main concern is to reduce the processing time of our hand dorsal vein recognition system. From Table 2, we note the matching time consumed by MPCACL is considerably lesser than PCA as illustrated by the difference. In fact, when using PCA, the average time taken for 1 image is around 13.5s whereas MPCACL takes around 5.2s for one image.

## VI. CONCLUSION

The PCA technique previously applied on face and hand geometry has successfully worked on the vein images producing satisfactory results. Cholesky decomposition and Lanczos algorithm are integrated with PCA (MPCACL) to reduce the processing time of the vein patterns matching. The experimental results are satisfactory and further methods are being investigated to develop cheaper hand dorsal vein security system.

## ACKNOWLEDGMENT

We express our deepest thanks to Prof. Ahmed M. Badawi, from University of Tennessee, Knoxville, for providing us with a dataset of 200 images of hand dorsal vein pattern.

## REFERENCES

- [1] C.Lin and K.Fan, "Biometric Verification Using Thermal Images of Palm-Dorsa Vein Patterns", IEEE Transactions on Circuit and Systems for Video Technology, Vol 14, No.2,2004.
- [2] J.Cross and C.Smith, "Thermographic Imaging of Subcutaneous Vascular Network of the Back of the Hand for Biometric Identification", IEEE 29th Annual 1995 International Carnahan Conference,pg. 20-35, 1995.
- [3] W.Lingyu and G.Leedham, "Near- and- Far- Infrared Imaging for Vein Pattern Biometrics", Proceedings of the IEEE International Conference on Video and Signal Based Surveillance, 2006.
- [4] L.Chen, H.Zheng, L.Li, P.Xie and S.Lui, "Near-infrared Dorsal Hand Vein Image Segmentation by Local Thresholding Using Grayscale Morphology", The 1st International Conference on Bioinformatics and Biomedical Engineering, Pg. 868- 871, 2007.
- [5] A.Badawi, "Hand Vein Biometric Verification Prototype: A Testing Performance and Patterns Similarity", In Proceedings of the 2006 International Conference on Image Processing, Computer Vision, and Pattern Recognition, Las Vegas, USA, June 26-29, 2006.
- [6] M.Turk and A.Pentland, "Face Recognition Using Eigenfaces",IEEE Computer Society Conference on Computer Vision and Pattern Recognition, Pg 586-591,3-6 Jun 1991.
- [7] I.Dagher, W.Kobersy and W.Nader" Human Hand Recognition using IPCA-ICA Algorithm" , EURASIP Journal on Advances in signal processing, vol 2007.
- [8] M.Heenaye-Mamode Khan, R.K.Subramanian and N. Mamode Khan, "Low dimensional representation of dorsal hand vein features using Principle Component Analysis" , In the Proceedings of World Academy of Science, Engineering and Technology, Pg 1091- 1097, Dubai, United Arabs Emirates, Volume 37,ISSN 2070- 3740, January 28-30, 2009
- [9] M. Heenaye- Mamode Khan, R.K.Subramanian R.K., and N. Mamode Khan. "Representation of Hand Dorsal Vein Features Using a low Dimensional Representation Integrating Cholesky Decomposition", In the IEEE 2nd International Congress on Image and Signal Processing, Tianjin, China, Vol.3, 17-19 October 2009.
- [10] Y.Saad, "Numerical Methods for Large Eigenvalue Problems" ,ISBN 0-470-21820 http://users.cs.umn.edu/ saad/books.html
- [11] D.Calvetti, L.Reichel, and D.C.Sorrnsen, " An implicitly Restarted Lanczos Method for Large Symmetric Eigenvalue Problems" , 1994. (http://etna.mcs.kent.edu/vol.2.1994/pp1-21.dir/pp1-21.ps)
- [12] S. Zhao, Y.Wang and Y.Wang,"Extracting Hand Vein Patterns from Low-Quality Images: A New Biometric technique Using Low-Cost Devices" , IEEE 4th International Conference on Image and Graphics, 2007
- [13] L. Wang, G.KLeedham and D.Cho,"Minutiae feature analysis for infrared hand vein pattern biometrics", The Journal of the pattern recognition society, Pg. 920-929, Volume 41 ,Issue 3, ISSN:0031-3203, March 2008.
- [14] [14] M.Shahin, A.M. Badawi and M.Kamel,"Biometric Authentication Using Fast Correlation of Near Infrared Hand Vein Patterns", Volume 2,Number 3, 2007.
- [15] M.K.Shahin, A.M. Badawi and M.E.Rasmy, "A Multimodal Hand Vein, Hand Geometry, and Fingerprint prototype design for high security biometrics" , In the Proceedings of CIBEC'08, 2008.
- [16] M.Sonka, V.Hlavac, R.Boyle, "Image Processing: Analysis and Machine Vision, Thomson- Engineering",2nd Edition, September 1998.
- [17] S.Zhao, Y.Wang and Y.Wang,Y, "Extracting Hand Vein Patterns from Low-Quality Images: A New Biometric technique Using Low-Cost Devices" , IEEE, 4th International Conference on Image and Graphics, 2007
- [18] T. Chin and D. Suter. "A study of the Eigenface Approach for Face Recognition", Technical Report MECSE-6, 2004