Two Stage Fuzzy Methodology to Evaluate the Credit Risks of Investment Projects

O. Badagadze, G. Sirbiladze, I. Khutsishvili

Abstract—The work proposes a decision support methodology for the credit risk minimization in selection of investment projects. The methodology provides two stages of projects' evaluation. Preliminary selection of projects with minor credit risks is made using the Expertons Method. The second stage makes ranking of chosen projects using the Possibilistic Discrimination Analysis Method. The latter is a new modification of a well-known Method of Fuzzy Discrimination Analysis.

Keywords—Expert valuations, expertons, investment project risks, positive and negative discriminations, possibility distribution.

I. INTRODUCTION

A financial activity of banks, investment funds comes with the risk of the loss, especially in the sphere of crediting. Hence the issue of increasing the effectiveness of credit policies and lowering credit risks becomes very topical [10], [17]-[19].

The investment decision-making usually uses special methods, such as logistic regression, discriminant analysis, various machine learning techniques, etc. The methods also can be based on the possibility analysis [2], [20].

Along with traditional statistical techniques, new credit scoring models are developed to support credit decisions. The investment decision-making is influenced by the various uncertainty factors and, the need to formalize and process fuzzy, insufficient and, mainly, expert data. Ignoring the above mentioned factors results in inadequate and non-acceptable decisions. Correct processing of such data is provided with application of fuzzy-set approach [1], [5], [8]-[18], [21]-[23].

Literature, published for the past decade, proposes application of fuzzy-statistical models, neural and fuzzyneural networks and genetic algorithms when evaluating credit risks [6], [18], [23]. All of the approaches mentioned above are based on the objective databases and expert data.

The authors of this paper are experienced in applying heuristic methods to the decision-making problems which are based on the objective and expert data [5]-[7], [11]-[19]. They propose the methodology that combines two fuzzy-statistical methods and provides the means of evaluating risks of investment decisions. The methodology uses expert data provided by the members of the investment fund experts' commission.

To support the first stage, the Kaufmann's Expertons Method is used [2]-[4]. The method uses interval (pessimistic–optimistic) evaluations defined by the experts in order to reduce a possibly large number of investment projects requesting for credit. The expert knowledge is thereby condensed and compatibility levels on the set of possible risks for each investment project are constructed. The method is described in Section II.

In the second stage the chosen projects are compares and their ranking is made using the modified Possibilistic Discrimination Analysis Method. This method represents a possibilistic generalization of the known Fuzzy Discrimination Analysis [9] and is the modification of Possibilistic Discrimination Analysis Method previously proposed by the author's [18]. Using the expert knowledge and experience, the possibility distribution is constructed on the set of all possible decisions (projects), which is used for projects ranking. The description of the modified method is presented in Section III.

In addition to the proposed new methodology, by the authors is developed software package, which has already been successfully used in the investment tender. An example of investment decision making clearly illustrating the work of the proposed methodology is given in Section IV.

II. DESCRIPTION OF THE EXPERTONS METHOD

The use of the expertons theory allows the investment fund experts to evaluate the competition results of investment projects, represent these results in general form, condense data and obtain optimal evaluations. The aim of the expert methodology is to accumulate subjective estimates provided by the expert commission members in our specially created model of the decision-making system. The system then acts as an adviser that assists the expert commission in selecting minimum risk applications.

An experton is the generalization of probability when cumulative probabilities are replaced by monotonically decreasing intervals. These intervals are statistically defined by a group of experts. The concept of the expertons theory can be briefly described as follows.

Let D be a set of decisions (possible risks in our case). The group of r experts is requested to express their subjective opinion regarding each alternative from D in the form of a confidence interval:

$$\forall d \in D : [a_*^j(d), a_i^*(d)] \subset [0,1]$$

O. Badagadze, PhD Student, G. Sirbiladze, Professor, I. Khutsishvili, Associate Professor, are with the Department of Computer Sciences, Iv.Javakhishvili Tbilisi State University, 13, University street, 0186 Tbilisi, Georgia (e-mail: otar.badagadze@tsu.ge, gia.sirbiladze@tsu.ge, irina.khutsishvili@tsu.ge).

where j is the number of an expert.

We consider statistics when to each element $d \in D$ both the lower and the upper bounds of confidence intervals are assigned. The cumulative distribution law $F_*(\alpha, d)$ is then given by the expressions $a_*^j(d)$, and, $F^*(\alpha, d)$ is given by the expressions $a_j^*(d)$. Thus, we obtain

$$\forall d \in D \quad \forall \alpha \in [0,1]: \\ \widetilde{A}(d) = \left[F_*(\alpha,d), F^*(\alpha,d) \right]^{\prime}$$

where \tilde{A} denotes an experton.

Let be given some set of monotone levels: $0 < \alpha_1 < \alpha_2 < \cdots < \alpha_\ell < 1$. The experton, which is used as a possibility to choice possible decision *d*, is reduced to a possibility distribution on the set of decisions by the averaging of the middle points of interval expertons:

$$\delta(d) = \left(\sum_{i=1}^{\ell} \left(F_*(\alpha_i, d) + F^*(\alpha_i, d) \right) / 2 \right) / \ell \cdot$$

III. DESCRIPTION OF THE MODIFIED POSSIBILISTIC DISCRIMINATION ANALYSIS METHOD

The modified Possibilistic Discrimination Analysis (presented in this Section) is a modification of the generalized method [7], [17]-[19] of the Fuzzy Discrimination Analysis [9] purposed to process expert data.

Let the set of all possible factors which acted on the possible decisions be $\Omega = \{\omega_1, \omega_2, ..., \omega_m\}$. The factors are determined by the group of experts representing expert commission of investment fund.

The set of decisions that represent all project-competitors with minimum risks selected by the expertons method is denoted by $D = \{d_1, d_2, ..., d_n\}$. Unlike a generalized method [8], [18], here we consider the weighting vector $w = \{w_1, w_2, ..., w_m\}$, the component w_i of which defines significance level of ω_i factor for a decision: $w_i \in [0, 1]$, $\sum_{i=1}^m w_i = 1$. The vector of weights is also determined by experts.

"Classic" variant of Fuzzy Discrimination Analysis Method is based on so-called frequency numerical-tabular knowledge base { f_{ij} }, where f_{ij} designates the fraction of decisions d_j that were correct when ω_i factor was exhibited. Such a knowledge base can be built, if databases of statistical information on successfully implemented investment projects exist. However, in developing countries (instance, in Georgia) such a databases with statistical (objective) data or not exists, or they are, but information in them is insufficient. Therefore the values f_{ij} can only be obtained by the psychometric survey of the experts. Then f_{ij} will designate the fraction of the experts who consider d_i being correct when ω_i factor was present. So, if N experts participate in the psychometric survey, then

$$f_{ij} = N_{ij} / N , \qquad (1)$$

where N_{ij} is the number of experts who supported decision d_j when for the d_j competitor ω_i factor was present. And then instead of the frequency tabular-numeric knowledge base $\{f_{ij}\}$ build so called possibilistic tabular-numeric knowledge base $\{\pi_j^i\}$ [7], [9], [11], [17]-[19]. For instance, by normalizing each column of $\{f_{ij}\}$ we obtain

$$\pi_j^i = f_{ij} / \max_{i=1,n} f_{ij}$$
 (2)

The algorithm of a modified Possibilistic Discrimination Analysis Method is following:

The algorithm of a modified Possibilistic Discrimination Analysis Method is following:

1) Transform the possibilistic distribution table to the probabilistic distribution table [2], [11], [19]:

For $\forall \omega_i \ (i = l, 2, ..., m)$ let $\pi_{j_1}^i \ge \pi_{j_2}^i \ge \cdots \ge \pi_{j_n}^i$, then the conditional probability p_j^i corresponding to the possibility π_j^i is expressed by the formula

$$p_{j_s}^i = \sum_{\ell=s}^n \frac{1}{\ell} \left(\pi_{j_\ell}^i - \pi_{j_{\ell+1}}^i \right), s = 1, 2, \dots, n, \ \pi_{j_{n+1}}^i \equiv 0; \quad (3)$$

2) Build positive and negative discriminations on $\Omega \times D$ and calculate the concrete compatibility levels which define how much the ω_i factor influence (positive discrimination) and how much it does not influence (negative discrimination) the decision d_j as compared with other decisions:

$$p_{ij} = \frac{1}{n+1} \left\{ 1 + \sum_{k: p_k^i < p_j^i} (p_j^i - p_k^i)^{\alpha_1} + \frac{1}{1 + \sum_{k: p_k^j > p_j^i} (p_k^i - p_j^i)^{\alpha_2}} \right\}, \quad (4)$$

$$n_{ij} = \frac{1}{n+1} \left\{ 1 + \sum_{k: p_k^j > p_j^i} (p_k^i - p_j^i)^{\alpha_1} + \frac{1}{1 + \sum_{k: p_k^j < p_j^i} (p_j^i - p_k^i)^{\alpha_2}} \right\}, \quad (5)$$

Remark 1: clearly, positive and negative discriminations are not the notions which complement each other (in general, $p_{ij} + n_{ij} \neq 1$) and therefore the influence of the factor ω_i on the decision d_j is represented in the form of pairs (p_{ij} ; n_{ij}).

Remark 2: if π_j^i are numbers of "nearly" the same order, then for the "spectral decomposition" of p_{ij} and n_{ij} we will take values $\alpha_s < 1$;

3) Build the following weighted average positive and negative discriminations on the set of decisions D:

$$\pi_{j} = \sum_{i=1}^{m} p_{ij} w_{i} , \quad v_{j} = \sum_{i=1}^{m} n_{ij} w_{i} , \qquad (6)$$
$$j = 1, 2, \dots, n ;$$

4) Build possibility distribution $\forall j = 1, 2, ..., n$ on the possible decisions D:

$$\delta_{j} = \left(\pi_{j}^{\beta} + \left(1 - \nu_{j}\right)^{\beta}\right) / 2, \quad \beta > 0;$$
(7)

Remark 3: if π_j and v_j are numbers of "nearly" the same order, then for the "spectral decomposition" of δ_j we will take values $\beta < 1$;

5) Perform the ranking of possible decisions by sorting their possibility levels in decreasing order: $d_i \ge d_j$, if $\delta_i \ge \delta_j$,

where \geq is the preference relation on D.

Remark 4: if necessary, regard the decision δ_{j_0} which has a maximum value on the possibility distribution $\{\delta_j\}$ as the most convincing decision:

$$\delta_{j_0} = \max_i \delta_j \, .$$

IV. AN EXAMPLE OF THE APPLICATION OF FUZZY METHODOLOGY TO SELECT CANDIDATES WITH MINIMAL CREDIT RISK

Processing the information with the expertons method allows for selecting only those applicants whose profile provides either insignificant- or, possibly, low - credit risk.

Let's presume that the possible risk estimates for a given applicant, i.e. the possible decisions (crediting risks) are: d_1 : crediting with an insignificant risk; d_2 : crediting with a low risk; d_3 : crediting with an average risk; d_4 : crediting with a high risk.

A. Preliminary Selection with the Expertons Method

Assume that the members of the expert commission consider 4 possible decisions (i.e. the levels of credit granting risks for the concrete competitor) d_1, d_2, d_3, d_4 . Instead of expressing their opinion by value $\alpha \in [0,1]$, they provide confidence intervals which are included in the interval [0,1]: $[a_1, a_2] \subset [0,1]$, where a_1 is the pessimistic level of given risk and a_2 is the optimistic level of the risk.

The aggregate table of experts' estimates may have the following form:

TABLE I The Aggregate Table of Experts' Estimates								
Experts		Possible decisions d_i						
j	d_{I}	d_2	d_3	d_4				
1	[0.3,0.5]	[0.6,0.7]	[0.3,0.4]	0.5				
2	[0.5,0.6]	[0.4,0.6]	[0,0.1]	[0.2,0.4]				
3	[0.4, 0.7]	[0.8,0.9]	[0.1, 0.4]	[0.1,0.3]				
4	[0.3,0.4]	1	[0.2,0.5]	0				
5	0.6	[0.7,0.9]	[0.1, 0.4]	[0.5,0.7]				
6	[0.8, 1]	[0.2,0.3]	0.4	0.3				
7	[0.4,0.8]	[0,0.1]	[0.3,0.7]	[0.6,0.7]				
8	[0.4,0.5]	1	[0.8,1]	0.4				
9	[0,0.2]	[0.8,1]	0	[0.3,0.5]				
10	[0.6,0.8]	[0.4,0.7]	0.5	[0.2,0.6]				

Let us consider 11 α -cuts from 0 to 1, and for each of the possible decisions d_j , j = 1,...,4 calculate two statistics for each cut: one for the lower boundary of an interval and, the other, for the upper boundary. By extending these statistics to the set of levels { 0, 0.1, 0.2, ..., 0.9, 1 }, we obtain experton (see Table II):

		TABLE I Expertoi	I	
Laval		Possible	decisions	
Level	d_I	d_2	d_3	d_4
0	1	1	1	1
0.1	[0.9, 1]	[0.9, 1]	[0.8, 0.9]	0.9
0.2	[0.9, 1]	0.9	[0.6, 0.8]	[0.8, 0.9]
0.3	[0.9, 0.9]	[0.8, 0.9]	[0.5, 0.8]	[0.6, 0.9]
0.4	[0.7, 0.9]	0.8	[0.3, 0.8]	[0.4, 0.7]
0.5	[0.4, 0.8]	[0.6, 0.8]	[0.2, 0.4]	[0.3, 0.5]
0.6	[0.3, 0.6]	[0.6, 0.8]	[0.1, 0.2]	[0.1, 0.3]
0.7	[0.1, 0.4]	[0.5, 0.7]	[0.1, 0.2]	[0, 0.3]
0.8	[0.1, 0.3]	[0.4, 0.5]	0.1	0
0.9	[0, 0.1]	[0.2, 0.5]	[0, 0.1]	0
1	[0, 0.1]	[0.2, 0.3]	[0, 0.1]	0

An experton \tilde{A} is then transformed as follows:

- an averaged experton is calculated by taking a mean arithmetic value of each interval boundaries;
- the averaged experton is reduced to a fuzzy set by calculating mean values;
- if necessary, a nonfuzzy set, the closest to the fuzzy one, is found.
 - In a given example we calculate averaged experton:

TABLE III							
	THE AVERAGED EXPERTON						
Loval	Possible decisions						
Level	d_I	d_2	d_3	d_4			
0	1	1	1	1			
0.1	0.95	0.95	0.85	0.90			
0.2	0.95	0.90	0.70	0.85			
0.3	0.95	0.85	0.65	0.75			
0.4	0.90	0.80	0.55	0.55			
0.5	0.80	0.70	0.30	0.40			
0.6	0.60	0.70	0.15	0.20			
0.7	0.45	0.60	0.15	0.10			
0.8	0.25	0.45	0.10	0			
0.9	0.05	0.35	0.05	0			
1	0.05	0.25	0.05	0			

After calculating the mean values for each d_i on $D = \{d_1, d_2, d_3, d_4\}$, we obtain the possibility distribution $\delta(d_i)$ of identified risks of the considered competitor:

$$\{ d_1/0.56364, d_2/0.68636, d_3/0.41364, d_4/0.43182 \}.$$

To receive unique decision we apply the principle of a maximum: $\delta_{i_0} = \max_i \delta(d_i)$.

This means that in accordance to the common opinion of the experts the experton gives preference to the decision d_2 , i.e. considered competitor has a low crediting risk. Such a decision, of course, permits the applicant to participate at the second stage of the competition.

B. Final Decision with the Possibilistic Discrimination Analysis

The second stage of the decision making methodology chooses from the number of the selected candidates by evaluating certain factors characteristic to these candidates. In our tender, after processing data by the expertons method, for further consideration only six applicants remained from thirtyfour possible candidates considered at the first stage. Their data then was processed by modified possibilistic discrimination analysis.

Let us determine main ω_k , k = 1, 2, ..., 9 factors, by which all of the tender commission experts will score the candidate juridical person seeking the credit.

The following factors influencing the decisions will be considered [11], [19]:

 ω_1 : business profitability; ω_2 : purpose of the credit; ω_3 : pledge guaranteeing repayment of the credit; ω_4 : credit amount (monetary value); ω_5 : payment of interest ; ω_6 : credit granting date; ω_7 : credit repayment date; ω_8 : monthly payment of a portion of the principal and accrued interest (repayment scheme); ω_9 : percent ratio of the pledge to the credit monetary amount.

In our case, the value f_{ij} describes the level of the *i* factor for the *j* participant. Thus, the expert commission consists of 10 members, the factors to be evaluated are $\omega_k, k = 1, 2, ..., 9$, and, after the preliminary selection, the number of competitors equals to 6 (d_j , j = 1, 2, ..., 6).

Suppose that the aggregate table f_{ij} looks like (see Table IV):

TABLE IV The Aggregate Table of f_{ij} Values

0	D					
32	d_I	d_2	d_3	d_4	d_5	d_6
ω_{I}	0.6	0.5	0.7	0.1	0.3	0.4
ω_2	0.4	0.8	0.1	0.5	0.2	0.3
ω_3	0.1	0.5	0.2	0.4	0.6	0.3
ω_4	0.4	0.3	0.6	0.1	0.2	0.7
ω_5	0.5	0.4	0.8	0.3	0.7	0.6
ω_{6}	0.6	0.1	0.3	0.4	0.5	0.2
ω_7	0.3	0.3	0.2	0.4	0.4	0.2
ω_{s}	0.5	0.2	0.3	0.6	0.4	0.3
ω_{9}	0.2	0.6	0.4	0.5	0.8	0.2

Firstly, using (2) we calculate the table of π_j^i conditional possibilistic distribution (see Table V):

TABLE V The Table of π^i_i Possibilistic Distribution

0	D						
Ω	d_{I}	d_2	d_3	d_4	d_5	d_6	
ω_{I}	0.86	0.71	1.00	0.14	0.43	0.57	
ω_2	0.50	1.00	0.13	0.63	0.25	0.38	
ω3	0.17	0.83	0.33	0.67	1.00	0.50	
ω_4	0.57	0.43	0.86	0.14	0.29	1.00	
ω_5	0.63	0.50	1.00	0.38	0.88	0.75	
ω_{6}	1.00	0.17	0.50	0.67	0.83	0.33	
ω7	0.75	0.75	0.50	1.00	1.00	0.50	
ω_{s}	0.83	0.33	0.50	1.00	0.67	0.50	
ω,	0.25	0.75	0.50	0.63	1.00	0.25	

By converting it to the table of conditional probabilistic distribution p_j^i , we receive (see (3) and Table VI):

TABLE VI THE TABLE OF CONDITIONAL PROBABILISTIC DISTRIBUTION p_{j}^{i}

0	D					
32	d_I	d_2	d_3	d_4	d_5	d_6
ω_{I}	0.236	0.164	0.379	0.024	0.081	0.117
ω_2	0.119	0.556	0.021	0.181	0.046	0.077
ω_3	0.028	0.242	0.061	0.158	0.408	0.103
ω_4	0.136	0.088	0.279	0.024	0.052	0.421
ω_{5}	0.119	0.087	0.348	0.063	0.223	0.160
ω_{6}	0.408	0.028	0.103	0.158	0.242	0.061
ω_7	0.146	0.146	0.083	0.271	0.271	0.083
ω_{s}	0.228	0.056	0.089	0.394	0.144	0.089
ω_{g}	0.042	0.208	0.104	0.146	0.458	0.042

Further, to calculate the tables of positive and negative discriminations, we take the values $\alpha_1 = 0.25$, $\alpha_2 = 0.75$ (chosen empirically for the "spectral decomposition" of the values p_{ij} and n_{ij}) as the coefficients of α_s , s = 1,2. As a result, (see (4), (5)) we receive the table of positive and negative discriminations (see Table VII):

TABLE VII THE TABLE OF POSITIVE AND NEGATIVE DISCRIMINATIONS

				D		
	d_{I}	d_2	d_3	d_4	d_5	d_6
	0.603	0.472	0.789	0.205	0.288	0.369
	0.448	0.876	0.207	0.569	0.270	0.350
	0.207	0.610	0.276	0.473	0.806	0.364
	0.457	0.355	0.641	0.206	0.272	0.811
p_{ij}	0.361	0.279	0.77	0.214	0.591	0.463
	0.806	0.207	0.364	0.473	0.610	0.276
	0.386	0.386	0.221	0.644	0.644	0.221
	0.599	0.213	0.285	0.799	0.454	0.285
	0.211	0.584	0.368	0.462	0.833	0.211
).218	0.262	0.175	0.469	0.366	0.311
	0.294	0.171	0.462	0.255	0.394	0.339
	0.463	0.221	0.385	0.269	0.174	0.323
	0.287	0.335	0.215	0.464	0.393	0.173
n _{ij}	0.304	0.360	0.175	0.428	0.216	0.258
	0.174	0.463	0.323	0.270	0.221	0.385
	0.274	0.274	0.403	0.184	0.184	0.403
	0.222	0.433	0.351	0.174	0.272	0.351
	0.441	0.236	0.319	0.276	0.173	0.441

We proceed with calculating π_j and v_j representing the weighted average values of positive and negative discriminations for the *j* th applicant (see (6)). The weighted vector

$w = \{0.125, 0.125, 0.125, 0.11, 0.125, \\ 0.0775, 0.0775, 0.11, 0.123\}$

is defined by expert commission.

Taking the coefficient value equal to $\beta = 0.95$ (chosen empirically for the "spectral decomposition" of the values δ_j), we determine the possibility distribution on $D = \{d_1, d_2, ..., d_8\}$ (see (7) and Table VIII):

TABLE VIII THE POSITIVE AND NEGATIVE DISCRIMINATION'S WEIGHTED AVERAGE VALUES AND THE POSSIBILITY DISTRIBUTION ON D

VALUES AND THE POSSIBILITY DISTRIBUTION					
	D	π_j	V_{j}	δ_{j}	
	d_1	0.43735	0.30574	0.58143	
	d_2	0.46102	0.29780	0.59697	
	d_3	0.44837	0.30794	0.58582	
	d_4	0.43759	0.31749	0.57586	
	d_5	0.52554	0.26969	0.64230	
	d_6	0.37874	0.32766	0.54170	

Table VIII shows that ranking of considered projects according to possibility distribution δ_i is the following:

$$d_5 \succ d_2 \succ d_3 \succ d_1 \succ d_4 \succ d_6.$$

V.CONCLUSION

We developed the methodology of experts information processing and synthesis. The methodology is the combination of Kaufmann's expertons method and the possibilistic discrimination analysis proposed in the present work. The methodology provides experts with the opportunity to manifest intellectual activity of a high level. Securing the freedom of experts' subjective evaluations, the methodology, however, allows for developing experts' joint decision on granting credits. The latter distinguishes our methodology from the others.

REFERENCES

- R. E. Bellman and L. A. Zadeh, "Decision-Making in a Fuzzy Environment", *Management Science*, 17(4), 1970, B-141-B-164.
- [2] D. Dubois and H. Prade, Possibility Theory: An Approach to Computerized Processing of Uncertainty. New-York: Plenum Press, 1988.
- [3] A. Kaufmann, "Theory of expertons and fuzzy logic", *Fuzzy Sets and Systems*, 28(3), 1988, 295-304.
- [4] A. Kaufmann, Expert Appraisements and Counter-Appraisements with Experton Processes, Analysis and Management of Uncertainty: Theory and Applications, North Holland, Amsterdam, 1992.
- [5] G. J. Klir and M. J. Wierman, Uncertainty-Based Information. Elements of Generalized Information Theory. Second edition. Studies in Fuzziness and Soft Computing, Physica-Verlag, Heidelberg, 1999.
- [6] I. Khutsishvili, "The Combined Decision Making Technology based on the Statistical and Fuzzy Analysis and its Application in Forecast's Modeling", WSEAS Transactions on Systems, 8(7), 2009, 891-901.
- [7] I. Khutsishvili and G. Sirbiladze, "Decision Support's Precising Technology in the Investment Project Risk Management", In: Proceedings of the 11th WSEAS International Conference on Automatic Control, Modelling and Simulation (ACMOS '09), Istanbul, Turkey, 2009, 303-311.
- B. Liu, "Toward fuzzy optimization without mathematical ambiquity", *Fuzzy Optimization and Decision Making*, 1(1), 2002, 43-63.
- [9] D. Norris, B. W. Pilsworth and J. F. Baldwin, "Medical Diagnosis from patient records – A method using fuzzy discrimination and connectivity analysis", *Fuzzy Sets and Systems*, 23, 1987, 73-87.
- [10] D. Ruan, J. Kacprzyk and M. Fedrizzi, Soft Computing for Risk Evaluation and Management: Applications in Technology, Environmenf and Finance. Studies in Fuzziness and Soft Computing. Heidelberg, New York: Physica-Verlag, 2001.
- [11] G. Sirbiladze, A. Sikharulidze and G. Korakhashvili, "Decision-making Aiding Fuzzy Informational Systems in Investments. Part I – Discrimination Analysis in Investment Projects", *Proceedings of Iv.* Javakhishvili Tbilisi State University. Applied Mathematics and Computer Sciences, 353 (22-23), 2003, 77-94.
- [12] G. Sirbiladze and T. Gachechiladze, "Restored fuzzy measures in expert decision-making", *Information Sciences*, 169 (1/2), 2005, 71-95.
- [13] G. Sirbiladze and A. Sikharulidze, "Weighted Fuzzy Averages in Fuzzy Environment, Parts I, II", International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems, 11(2), 2003, 139-157, 159-172.
- [14] G. Sirbiladze, "Decision Precising Technologies in Decision Making Systems", Plenary Speech. In: N. Mastorakis, M. Demiralp, I. Rudas, C. A. Bulucea, L. Rogozea (Eds.), Proc.of the Applied Computing Conference 2009, ACC '09, Vouliagmeni, Athens, Greece, 2009, pp. 27-28.
- [15] G. Sirbiladze, A. Sikharulidze and N. Sirbiladze, "Generalized Weighted Fuzzy Expected Values in Uncertainty Environment", In: L. A. Zadeh, J. Kacprzyk, N. Mastorakis, A. Kuri-Morales, P. Borne, L. Kazovsky (Eds.), Proc. 9th WSEAS Int. Conf. on Artificial Intelligence, Knowledge Engineering and Data Bases, AIKED '10, University of Cambridge, UK, 2010, pp. 59-65.
- [16] G. Sirbiladze, "Fuzzy dynamic programming problem for extremal fuzzy dynamic systems", In: W. A. Lodwick and J. Kacprzyk (Eds.) Fuzzy Optimization: Recent Developments and Applications, Studies in Fuzziness and Soft Computing, 254, Heidelberg: Physica-Verlag, 231-270, 2010.
- [17] G. Sirbiladze, "Fuzzy Identification Problem for Continuous Extremal Fuzzy Dynamic System", *Fuzzy Optimization and Decision Making*, 9 (3), 2010, 233-274.
- [18] G. Sirbiladze, I. Khutsisvili and P. Dvalishvili, "Decision Precising Fuzzy Technology to Evaluate the Credit Risks of Investment Projects",

IEEE 10-th International Conference on Intelligent Systems Desigh and Applications (ISDA 2010), Cairo, Egypt, 2010, 103-108.
[19] G.Sirbiladze, I. Khutsishvili and B. Ghvaberidze, "Multistage decision-

- [19] G.Sirbiladze, I. Khutsishvili and B. Ghvaberidze, "Multistage decisionmaking fuzzy methodology for optimal investments based on experts' evaluations", *European Journal of Operational Research*, 232(1), 2014, 169–177.
- [20] D. Wu, Y. Zhang, D. Wu and D. L. Olson, "Fuzzy multi-objective programming for supplier selection and risk modeling: A possibility approach", *European Journal of Operational Research*, 200(3), 2010, 774-787
- [21] R. R. Yager, "On the Evalution of Uncertain Courses of Action", *Fuzzy Optimization and Decision Making*, 1(1), 2002, 13-41.
- [22] R. R.Yager, "Aggregation of ordinal information", Fuzzy Optimization and Decision Making, 6(3), 2007, 199-219.
- [23] L. Yu, S. Wang and K. K. Lai, "An intelligent-agent-based fuzzy group decision making model for financial multicriteria decision support: The case of credit scoring", *European Journal of Operational Research*, 195(3), 2009, 942-959.