Extrapulmonary Gastrointestinal Small Cell Carcinoma: A Single Institute Experience of 14 Patients from a Low Middle Income Country

Authors: Awais Naeem, Osama Shakeel, Faizan Ullah, Abdul Wahid Anwer

Abstract : Introduction: To study the clinic-pathological factors, diagnostic factors and survival of extra-pulmonary small cell carcinoma. Methodology: From 1995 to 2017 all patients with a diagnosis of extra-pulmonary small cell carcinoma were included in the study. Demographic variables and clinic-pathological factors were collected. Management of disease was recorded. Short and long term oncological outcomes were recorded. All data was entered and analyzed in SPSS version 21. Results: A total of 14 patients were included in the study. Median age was 53.42 +/- 16.1 years. There were 5 male and 9 female patients. Most common presentation was dysphagia in 16 patient among esophageal small cell carcinoma and while other patient had pain in abdomen. Mean duration of symptoms was 4.23+/-2.91 months .Most common site is esophagus (n=6) followed by gall bladder(n=3). Almost all of the patients received chemo-radiotherapy. Majority of the patient presented with extensive disease. Five patients (35.7%) died during the follow up period, two (14.3%) were alive and rest of the patients were lost to follow up. Mean follow up period was 22.92 months and median follow up was 15 months. Conclusion: Extra-pulmonary small cell carcinoma is rare and needs to be managed aggressively. All patients should be treated with both systemic and local therapies.

Keywords: small cell carcinoma of esophagus, extrapulmonary small cell carcinoma, small cell carcinoma of gall bladder, small cell carcinoma of rectum, small cell carcinoma of stomach

Conference Title: ICDSLS 2019: International Conference on Digestive System and Laparoscopic Surgery

Conference Location : New York, United States

Conference Dates: August 08-09, 2019