It Is Time to Perform Total Laparoscopic Hysterectomy (TLH) without the Use of Uterine Manipulator: Kamran's TLH

Authors: Ahmed Gendia, Waseem Kamran

Abstract : Objective: Total Laparoscopic hysterectomy (TLH) remains a common approach among laparoscopic surgeons. However, this approach depends on the use of uterine manipulator to facilitate the surgery. Although many studies reported the effectiveness of TLH with uterine manipulator, only few reported TLH without the use of any uterine or vaginal manipulation. the aim of this report is to demonstrate our Technique (kamran's TLH) in performing TLH without the use of any uterine or vaginal manipulation in benign conditions and report our intra- and post-operative outcomes. Methodology : surgical technique will be demonstrated through a short video highlighting the easy and safe to learn surgical steps. Additionally, the data of 86 patients who underwent KTLH for benign condition were retrospectively analyzed, the data included intra- and postoperative finding and complications. Results: A total of 86 hysterectomies were performed utilizing the Kamran's TLH (KTHL). Mean age was $52.2 \ (\pm 11)$ years old and BMI was $28.2 \ (\pm 7)$. Mean operative time was $64.7 \ (\pm 27.9)$ minutes and estimated bloods loss was $46.2 \ (\pm 54.6)$ ml. No intraoperative complications were recorded and there was no conversion to open surgery. Only one patient required readmission and surgery for vaginal vault dehiscence. Conclusion & Significance: Uterine manipulator is a key component in performing laparoscopic hysterectomy. However, our approach demonstrated that TLH can be safely performed without the use of any uterine or vaginal manipulation.

Keywords: laparoscopic hystrectomy, TLH, uterine manipulator, surgery

Conference Title: ICGRH 2020: International Conference on Gynecology and Reproductive Health

Conference Location: Paris, France Conference Dates: November 19-20, 2020