## Base Change for Fisher Metrics: Case of the q-Gaussian Inverse Distribution

Authors : Gabriel I. Loaiza Ossa, Carlos A. Cadavid Moreno, Juan C. Arango Parra

**Abstract :** It is known that the Riemannian manifold determined by the family of inverse Gaussian distributions endowed with the Fisher metric has negative constant curvature  $\kappa = -1/2$ , as does the family of usual Gaussian distributions. In the present paper, firstly, we arrive at this result by following a different path, much simpler than the previous ones. We first put the family in exponential form, thus endowing the family with a new set of parameters, or coordinates,  $\theta_1$ ,  $\theta_2$ ; then we determine the matrix of the Fisher metric in terms of these parameters; and finally we compute this matrix in the original parameters. Secondly, we define the inverse q-Gaussian distribution family (q < 3) as the family obtained by replacing the usual exponential function with the Tsallis q-exponential function in the expression for the inverse Gaussian distribution and observe that it supports two possible geometries, the Fisher and the q-Fisher geometry. And finally, we apply our strategy to obtain results about the Fisher and q-Fisher geometry of the inverse q-Gaussian distribution family, similar to the ones obtained in the case of the inverse Gaussian distribution family.

**Keywords :** base of changes, information geometry, inverse Gaussian distribution, inverse q-Gaussian distribution, statistical manifolds

1

**Conference Title :** ICMSA 2022 : International Conference on Mathematical Statistics and Applications **Conference Location :** New York, United States **Conference Dates :** April 25-26, 2022