## Antioxidant Activity of Launaea nudicaulis Growing in Southwest of Algeria

Authors : Abdelkrim Cheriti, Mebarka Belboukhari, Nasser Belboukhari

**Abstract :** Launaea Cass. is a small genus of the family Asteraceae (tribe Lactuceae, subtribe Sonchinae), consisting of 54 species, of which 9 are presented in the flora of Algeria and is mainly distributed in the South Mediterranean, Africa and SW Asia. Plants in the Launaea genus have been used ethnobotanically as bitter stomachic, for treating diarrhea, gastrointestinal tracts, as anti-inflammatory, for skin diseases, treatment of infected wounds, hepatic pains, children fever, as soporific, lactagogue, diuretic and as insecticidal. Antioxidants are vital substances, which possess the ability to protect the body from damages caused by free radical induced oxidative stress. A variety of free radical scavenging antioxidants is found in a number of dietary sources. The main objective of this study focused on the screening of antioxidant activity of Launaea nudicaulis (Asteraceae) extracts. The in vitro antioxidant activity was investigated with DPPH radical scavenging assay. The quantitative evaluation of DPPH scavenging activity showed that n-BuOH and EtOAc extracts are the most active extracts with a percentage of antiradical activity of 89,62% and 71,57% respectively.

Keywords : Launaea, phytochemical, South Algeria, Sahara, endemic specie

Conference Title : ICSRD 2020 : International Conference on Scientific Research and Development

Conference Location : Chicago, United States

Conference Dates : December 12-13, 2020