World Academy of Science, Engineering and Technology International Journal of Agricultural and Biosystems Engineering Vol:8, No:09, 2014

Study on the Effects of Different Levels of Dietary Vitamin C on Some of Biochemical Parameters of Serum in Barbuas

Authors: M. Chelemal Dezfoul Nejad, M. Moradi, M. Mesbah, M. Javaheri

Abstract : This study was conducted in order to characterize the different levels of dietary vitamin C on some of biochemical parameters of Barbus grypus. For this purpose 300 Barbus grypus were divided into 15 groups. Five levels of vitamin C (0, 200, 400, 800, 1600 mg kg-1 diet) and their combination were used to prepare five experimental diets. The fish were fed 3% of their wet b.wt. per day for a 60 days period. Blood samples were obtained from six fish of each tank at the end of experiment. The results reveal that fish fed diets containing 1600 mg kg-1 vitamin C had a significant decrease in the mean amount of cholesterol, glucose and triglyceride (p<0.05). Also, there was no significant difference in the mean amount of total protein, albumin, BuN, phosphorus, sodium and potassium between the fish fed with the different diets designed for this experiment (p>0.05).

Keywords: Barbus grypus, vitamin C, biochemical parameters, diet

Conference Title: ICABBBE 2014: International Conference on Agricultural, Biotechnology, Biological and Biosystems

ngineering

Conference Location : Paris, France **Conference Dates :** September 22-23, 2014