

XANES Studies on the Oxidation States of Copper Ion in Silicate Glass

Authors : R. Buntam, K. Samkongngam

Abstract : The silicate glass was prepared using rice husk as the source of silica. The base composition of glass sample is composed of SiO₂ (from rice husk ash), Na₂CO₃, K₂CO₃, ZnO, H₃BO₃, CaO, Al₂O₃ or Al, and CuO. Aluminum is used in place of Al₂O₃ in order to reduce Cu²⁺ to Cu⁺. The red color of Cu₂O in the glass matrix was observed when the Al was added into the glass mixture. The expansion coefficients of the copper doped glass are in the range of 1.2×10^{-5} - 1.4×10^{-5} (°C⁻¹) which is common for the silicate glass. The finger prints of the bond vibrations were studied using IR spectroscopy. While the oxidation state and the coordination information of the copper ion in the glass matrix were investigated using X-ray absorption spectroscopy. From the data, Cu⁺ and Cu²⁺ exist in the glass matrix. The red particles of Cu₂O can be formed in the glass matrix when enough aluminum was added.

Keywords : copper in glass, coordination information, silicate glass, XANES spectrum

Conference Title : ICCGCM 2014 : International Conference on Ceramic, Glass and Construction Materials

Conference Location : London, United Kingdom

Conference Dates : December 22-23, 2014