

## Breech Versus Cephalic Elective Caesarean Deliveries - A Comparison of Immediate Neonatal Outcomes

**Authors :** Genevieve R. Kan, Jolyon Ford

**Abstract :** Background: Caesarean section has become the routine route of delivery for breech fetuses, but breech cesarean deliveries are hypothesized to have poorer immediate neonatal outcomes when compared to cephalic deliveries. In accordance with this, in many Australian hospitals, the pediatric team is routinely required to attend every elective breech cesarean section in case urgent resuscitation is required. Our study aimed to determine whether term elective breech deliveries indeed had worse immediate neonatal outcomes at delivery, which will justify the necessity of pediatric staff presence at every elective breech cesarean delivery and influence the workload for the pediatric team. Objective: Elective breech cesarean deliveries were compared to elective cephalic cesarean deliveries at 37 weeks gestation or above to evaluate the immediate neonatal outcomes (Apgar scores <7 at 5 minutes, and Special Care Nursery admissions on Day 1 of life) of each group. Design: A retrospective cohort study Method: This study examined 2035 elective breech and cephalic singleton cesarean deliveries at term over 5 years from July 2017 to July 2022 at Frankston Hospital, a metropolitan hospital in Melbourne, Australia. There were 260 breech deliveries and 1775 cephalic deliveries. De-identified patient data were collected retrospectively from the hospital's electronically integrated pregnancy and birth records to assess demographics and neonatal outcomes. Results: Apgar scores <7 at 5 minutes of life were worse in the breech group compared to the cephalic group (3.4% vs 1.6%). Special Care Nursery admissions on Day 1 of life were also higher for the breech cohort compared to the cephalic cohort (9.6% vs 8.7%). Conclusions: Our results support the expected findings that breech deliveries are associated with worse immediate neonatal outcomes. It, therefore, suggests that routine attendance at elective breech cesarean deliveries by the pediatric team is indeed required to assist with potentially higher needs for neonatal resuscitation and special care nursery admission.

**Keywords :** breech, cesarean section, Apgar scores, special care nursery admission

**Conference Title :** ICOG 2023 : International Conference on Obstetrics and Gynaecology

**Conference Location :** Singapore, Singapore

**Conference Dates :** May 04-05, 2023