

## Uncommon Presentation of Ischaemic Heart Disease with Sheehan's Syndrome at Mid-Level Private Hospital of Bangladesh and Its Management- A Case Report

**Authors :** Nazmul Haque, Syeda Tasnuva Maria

**Abstract :** Sheehan's Syndrome (SS), also known as postpartum hypopituitarism, is a rare but potentially serious condition resulting from ischemic necrosis of the pituitary gland, often occurring during or after childbirth. This syndrome is characterized by hypopituitarism, leading to deficiencies in various hormones produced by the pituitary gland. The primary cause is typically severe postpartum hemorrhage, leading to inadequate blood supply and subsequent necrosis of the pituitary tissue. This chronic hypopituitarism sometimes plays the role of premature atherosclerosis, which may lead to cardiovascular disease. This abstract provides a comprehensive overview of Sheehan's Syndrome with ischaemic heart disease, encompassing its pathophysiology, clinical manifestations, and current management strategies. The disorder presents a wide spectrum of symptoms, including chest pain, fatigue, amenorrhea, lactation failure, hypothyroidism, and adrenal insufficiency. Timely diagnosis is crucial, as delayed recognition can lead to complications and long-term health consequences. We herein report a patient complaining of chronic fatigue symptoms, aggressiveness, chest pain, and breathlessness with repeated LOC that were diagnosed with SS with IHD. The patient was treated with antiplatelet, antianginal, steroids, and hormone replacement with marked improvement in his overall condition.

**Keywords :** ischaemic heart disease, Sheehan's syndrome, post-partum haemorrhage, pituitary gland

**Conference Title :** ICC 2024 : International Conference on Cardiology and Cardiovascular Medicine

**Conference Location :** Dubai, United Arab Emirates

**Conference Dates :** November 07-08, 2024