## The Impact of Nutritional Education for Peritoneal Dialysis Patients in Mongolia

Authors: Sanchir Erdenebayar, Namuuntsetseg Oyunbaatar

Abstract: Objectives: Peritoneal dialysis treatment is one of the important forms of kidney replacement therapy, and it has recently developed instantly in Mongolia for the past five years. Currently, more than 120 patients undergo peritoneal dialysis nationwide. These patients lack nutritional education, which predisposes them to protein deficiency and further impairs their quality of life. However, there is no study which is conducted among those about their dietary in Mongolia. Therefore, integrated nutrition information and educating them about dietary patterns to follow are urgently needed for PD patients. Methods: A cross-sectional study was carried out on 45 patients aged between 18 and 60 years who were undergoing CAPD at the biggest Medvic dialysis center in Ulaanbaatar. The knowledge of nutrition and food intake is assessed by interview based on a validated questionnaire prepared from KDIGO guidelines, semi-FFQ and a 24-hour dietary recall method. In addition, a biochemical blood test that includes total protein, albumin, calcium, phosphorus, potassium, and hemoglobin is used for an assessment of the patient's current nutritional status. Results: Knowledge of nutritional status for CAPD was great, with 21.4% of patients and 78.65% having poor nutrition knowledge. The rate of mild to moderate malnutrition was 48.8% among research participants. Serum albumin was  $38.4 \pm 4.7$  g/L, and total protein was  $67.3 \pm 7.5$ g/l. Patients met  $62.5 \pm 26.5\%$  of their daily intake nutritional requirement for calories and 72±40% of their nutritional requirement for protein. All patients' energy intake was significantly /1328±304kcal/ lower than the energy requirement (2124±378kcal). Only 14.2% met the recommended dietary protein intake recommended to them of greater than 1.2 g/kg. Conclusions: As was established before, nutritional education has a vital positive impact on the health and nutritional status of peritoneal dialysis patients. The results of this study show that nutritional education programs are not enough adequate in peritoneal dialysis patients. There is a crucial priority to establish nutritional educational programs and guidelines for PD patients in Mongolia.

**Keywords:** renal diet, peritoneal dialysis, nutrition education, CKD diet **Conference Title:** ICCN 2024: International Conference on Clinical Nutrition

Conference Location: Istanbul, Türkiye Conference Dates: September 26-27, 2024