

## Ultrasonographic Evaluation of Tars and Metatars Region of Dromedary Camel

**Authors :** Aboozar Dehghan, S. Sharifi, A. Ardesliri, F. Jafari, F. Samani

**Abstract :** Ultrasonography is a safe, particular, available and easy to use method to evaluate soft tissues. Tendons play the main role to body locomotors system. Ultrasonography performed in tarsus and metatarsus region of rare limb of eight adult, Dromedary camels (camelus dromedaries) in both sex. Clinical examination and gate analysis was performed before slaughtering. From the tarsus to the 1st phalanx was divided to 4 equal region include 1a, 2a, 1b and 2b. Flexor surface was clipped and covered by enough ultrasonography gel. Ultrasonography was performed by linear phased array 8-12 Mhz transducer in transverse and longitudinal section and Superficial digital flexor tendon (SDFT), deep digital flexor tendon (DDFT) and suspensory ligament (SL) were imaged. Echogenicity and diameter of these structures were recorded. Size of tendons and SL measured after necropsy too. statistical analysis obtained that SDFT diameter larger than others in all described regions and mean of DDFT diameter larger than suspensory ligament. Echogenicity of SL more than SDFT and DDFT. No Significant relationship was seen between left and right rare limb structures size. Between sex and tendons and SL diameter, significant relationship not seen.

**Keywords :** dromedary camel, tars and metatars, ultrasonography

**Conference Title :** ICADS 2015 : International Conference on Animal and Dairy Sciences

**Conference Location :** Berlin, Germany

**Conference Dates :** May 21-22, 2015