

Contraction and Membrane Potential of C2C12 with GTXs

Authors : Bayan Almofty, Yuto Yamaki, Tadamasa Terai, Sadahito Uto

Abstract : Culture techniques of skeletal muscle cells are advanced in the field of regenerative medicine and applied research of cultured muscle. As applied research of cultured muscle, myopathy (muscles disease) treatment is expected and development bio of actuator is also expected in biomedical engineering. Grayanotoxins (GTXs) is known as neurotoxins that enhance the permeability of cell membrane for Na ions. Grayanotoxins are extracted from a famous *Pieris japonica* and Ericaceae as well as a phytotoxin. In this study, we investigated the effect of GTXs on muscle cells (C2C12) contraction and membrane potential. Contraction of myotubes is induced by applied external electrical stimulation. Contraction and membrane potential change of skeletal muscle cells are induced by injection of current. We, therefore, concluded that effect of Grayanotoxins on contraction and membrane potential of C2C12 relate to acute toxicity of GTXs.

Keywords : skeletal muscle cells C2C12, grayanotoxins, contraction, membrane potential, acute toxicity, pytotoxin, motubes

Conference Title : ICBES 2015 : International Conference on Biomedical Engineering and Systems

Conference Location : Rome, Italy

Conference Dates : March 05-06, 2015