World Academy of Science, Engineering and Technology International Journal of Environmental and Ecological Engineering Vol:9, No:05, 2015

Extracts of Ocimum gratissimum Leaves Inhibits Fe2+ and Sodium Nitroprusside Induced Oxidative Stress in Rat Liver

Authors: Oluwafemi Ojo, Omotade Oloyede

Abstract : This study seeks to investigate the antioxidative properties and the ability of aqueous, ethanolic and ethyl acetate extracts from Ocimum gratissimum (OG) leaves to inhibit some pro-oxidants (Fe2+ and sodium nitroprusside) induced lipid peroxidation in rat's liver homogenates in vitro. The ability of the extracts to inhibit 25 μ M FeSO4 and 7.0 μ M sodium nitroprusside induced lipid peroxidation in isolated rat's liver was determined. The results of the study revealed that both pro-oxidants caused a significantly decrease in (p < 0.05) accumulation of lipid peroxides. However, aqueous extract of OG shows a high ability to inhibit lipid production in the liver induced with SNP than Fe2+. Ethanolic and ethyl acetate extract of OG which shows a high ability to inhibit lipid production more when induced with Fe2+ than SNP. However, ethyl acetate fraction of OG shows a higher inhibitory effect on both Fe2+ and SNP induced lipid peroxidation in rat's liver. This applies to its significantly higher extractable phytochemicals. Therefore, Fe II and sodium nitroprusside induced oxidative stress could be managed by dietary intake of Ocimum gratissimum leaves.

Keywords: antioxidative, pro-oxidants, lipid peroxidation, Ocimum gratissimum

Conference Title: ICETP 2015: International Conference on Environmental Toxicology and Pharmacology

Conference Location: London, United Kingdom

Conference Dates: May 25-26, 2015