## The Role of Ionic Strength and Mineral Size to Zeta Potential for the Adhesion of P. putida to Mineral Surfaces

Authors : Fathiah Mohamed Zuki, Robert George Edyvean

Abstract : Electrostatic interaction energy ( $\Delta$ EEDL) is a part of the Extended Derjaguin-Landau-Verwey-Overbeek (XDLVO) theory, which, together with van der Waals ( $\Delta$ EVDW) and acid base ( $\Delta$ EAB) interaction energies, has been extensively used to investigate the initial adhesion of bacteria to surfaces. Electrostatic or electrical double layer interaction energy is considerably affected by surface potential, however it cannot be determined experimentally and is usually replaced by zeta ( $\zeta$ ) potential via electrophoretic mobility. This paper focuses on the effect of ionic concentration as a function of pH and the effect of mineral grain size on  $\zeta$  potential. It was found that both ionic strength and mineral grain size play a major role in determining the value of  $\zeta$  potential for the adhesion of P. putida to hematite and quartz surfaces. Higher  $\zeta$  potential values lead to higher electrostatic interaction energies and eventually to higher total XDLVO interaction energy resulting in bacterial repulsion.

**Keywords :** XDLVO, electrostatic interaction energy, zeta potential, P. putida, mineral **Conference Title :** ICEWE 2015 : International Conference on Energy, Water and Environment **Conference Location :** Istanbul, Türkiye **Conference Dates :** July 29-30, 2015