

Inhibitory Effect on TNF-Alpha Release of Dioscorea membranacea and Its Compounds

Authors : Arunporn Itharat, Srisopa Ruangnoo, Pakakrong Thongdeeying

Abstract : The rhizomes of *Dioscorea membranacea* (DM) has long been used in Thai Traditional medicine to treat cancer and inflammatory conditions such as rheumatism. The objective of this study was to investigate anti-inflammatory activity by determining the inhibitory effect on LPS-induced TNF- α from RAW264.7 cells of crude extracts and pure isolated compounds from DM. Three known dihydrophenanthrene compounds were isolated by a bioassay guided isolation method from DM ethanolic extract [2,4 dimethoxy-5,6-dihydroxy-9,10-dihydrophenanthrene (1) and 5-hydroxy-2,4,6-trimethoxy-9,10-dihydrophenanthrene(2) and 5,6,2 -trihydroxy 3,4-methoxy, 9,10- dihydrophenanthrene (3)]. 1 showed the highest inhibitory effect on PGE2, followed by 3 and 1 (IC50 = 2.26, 4.97 and >20 μ g/ml or 8.31,17.25 and > 20 μ M respectively). These findings suggest that this plant showed anti-inflammatory effects by displaying an inhibitory effect on TNF- α release, hence, this result supports the usage of Thai traditional medicine to treat inflammation related diseases.

Keywords : *Dioscorea membranacea*, anti-inflammatory activity, TNF-Alpha , dihydrophenanthrene compound

Conference Title : ICBPS 2015 : International Conference on Biomedical and Pharmaceutical Sciences

Conference Location : Tokyo, Japan

Conference Dates : May 28-29, 2015