

Effects of Clinical Practice Guidelines for Central Venous Catheter to Infection Rate and Nurse's Satisfaction in Medicine Intensive Care Unit 240 Hat Yai Hospital, Thailand

Authors : Jiranun Sreecharit, Anongnat Boonrut, Kunvadee Munvaradee, Phechnoy Singchungchai

Abstract : Hatyai Hospital as center of hospital with a capacity of 670 beds. Medicine intensive care units (MICU240) provide care for critically ill patients who are at high risk need to be monitored closely. Intravenous catheter is vital to help assess the level of water in the body fluids and medications. Potential complications such as infection. We need to have guidelines for the care of patients who received intravenous catheter used to achieve good results. The operations research in this study was intended 1) To study the effects of practice for nurses in caring for patients with central venous catheter to infection rate and 2) To assess the satisfaction of nurses and patient care practices in central venous catheterization patients in the MICU 240. The sample of the patient's central venous catheter crisis that everyone who admitted in MICU 240 during the period from October 2013 to May 2014. Samples prior to practice and 148 samples with 249 case of practice. A systematic review of the research NSWHealth Statewide Guideline for Intensive Care. Data were analyzed by statistics, percentages and frequency NON-PARAMETRICS with Mann-Whitney U. The finding revealed that: 1. Results of the practice patient care central venous catheter infection rates were found to be reduced from 35.14 percent to 25.3 percent. 2. The results of the evaluation of nurses and patients in the patient care practices central venous catheter found to be satisfied and happy to work 85 percent.

Keywords : clinical practice guidelines, central venous catheter, infection satisfaction

Conference Title : ICMN 2015 : International Conference on Microfluidics and Nanofluidics

Conference Location : Prague, Czechia

Conference Dates : July 09-10, 2015