

Examples of Techniques and Algorithms Used in Wlan Security

Authors : Vahid Bairami Rad

Abstract : Wireless communications offer organizations and users many benefits such as portability and flexibility, increased productivity, and lower installation costs. Wireless networks serve as the transport mechanism between devices and among devices and the traditional wired networks (enterprise networks and the internet). Wireless networks are many and diverse but are frequently categorized into three groups based on their coverage range: WWAN, WLAN, and WPAN. WWAN, representing wireless wide area networks, includes wide coverage area technologies such as 2G cellular, Cellular Digital Packet Data (CDPD), Global System for Mobile Communications (GSM), and Mobitex. WLAN, representing wireless local area networks, includes 802.11, Hyper lan, and several others. WPAN, represents wireless personal area network technologies such as Bluetooth and Infrared. The security services are provided largely by the WEP (Wired Equivalent Privacy) protocol to protect link-level data during wireless transmission between clients and access points. That is, WEP does not provide end-to-end security but only for the wireless portion of the connection.

Keywords : wireless lan, wired equivalent privacy, wireless network security, wlan security

Conference Title : ICECECE 2015 : International Conference on Electrical, Computer, Electronics and Communication Engineering

Conference Location : Singapore, Singapore

Conference Dates : July 04-05, 2015