

## Green, Yellow, Orange and Red Emission of Sm<sup>3+</sup> Doped Borotellurite Glass under the 480nm Excitation Wavelength

**Authors :** M. R. S. Nasuha, K. Azman, H. Azhan, S. A. Senawi, A. Mardhiah

**Abstract :** Sm<sup>3+</sup> doped borotellurite glasses of the system (70-x) TeO<sub>2</sub>-20B<sub>2</sub>O<sub>3</sub>-10ZnO-xSm<sub>2</sub>O<sub>3</sub> (where x = 0.0, 0.5, 1.0, 1.5, 2.0, and 2.5 mol%) have been prepared using melt-quenching method. Their physical properties such as density, molar volume and oxygen packing density as well as the optical measurements by mean of their absorption and emission characteristic have been carried out at room temperature using UV/VIS and photoluminescence spectrophotometer. The result of physical properties is found to vary with respect to Sm<sup>3+</sup> ions content. Meanwhile, three strong absorption peaks are observed and are well resolved in the ultraviolet and visible regions due to transitions between the ground state and various excited state of Sm<sup>3+</sup> ions. Thus, the photoluminescence spectra exhibit four emission bands from the initial state, which correspond to the 4G<sub>5/2</sub> → 6H<sub>5/2</sub>, 4G<sub>5/2</sub> → 6H<sub>7/2</sub>, 4G<sub>5/2</sub> → 6H<sub>9/2</sub> and 4G<sub>5/2</sub> → 6H<sub>11/2</sub> fluorescence transitions at 562 nm, 599 nm, 645 nm, and 706 nm, respectively.

**Keywords :** absorption, borotellurite, emission, optical, physical

**Conference Title :** ICOLS 2015 : International Conference on Optics, Lasers and Spectroscopy

**Conference Location :** Istanbul, Türkiye

**Conference Dates :** September 28-29, 2015