

Green, Yellow, Orange and Red Emission of Sm³⁺ Doped Borotellurite Glass under the 480nm Excitation Wavelength

Authors : M. R. S. Nasuha, K. Azman, H. Azhan, S. A. Senawi, A. Mardhiah

Abstract : Sm³⁺ doped borotellurite glasses of the system (70-x) TeO₂-20B₂O₃-10ZnO-xSm₂O₃ (where x = 0.0, 0.5, 1.0, 1.5, 2.0, and 2.5 mol%) have been prepared using melt-quenching method. Their physical properties such as density, molar volume and oxygen packing density as well as the optical measurements by mean of their absorption and emission characteristic have been carried out at room temperature using UV/VIS and photoluminescence spectrophotometer. The result of physical properties is found to vary with respect to Sm³⁺ ions content. Meanwhile, three strong absorption peaks are observed and are well resolved in the ultraviolet and visible regions due to transitions between the ground state and various excited state of Sm³⁺ ions. Thus, the photoluminescence spectra exhibit four emission bands from the initial state, which correspond to the 4G_{5/2} → 6H_{5/2}, 4G_{5/2} → 6H_{7/2}, 4G_{5/2} → 6H_{9/2} and 4G_{5/2} → 6H_{11/2} fluorescence transitions at 562 nm, 599 nm, 645 nm, and 706 nm, respectively.

Keywords : absorption, borotellurite, emission, optical, physical

Conference Title : ICOLS 2015 : International Conference on Optics, Lasers and Spectroscopy

Conference Location : Istanbul, Turkey

Conference Dates : September 28-29, 2015