

Enhancement of CO₂ Capture by Using Cu-Nano-Zeolite Synthesized

Authors : Pham-Thi Huong, Byeong-Kyu Lee, Chi-Hyeon Lee, Jitae Kim

Abstract : In this study synthesized Cu-nano-zeolite was evaluated for its potential use in CO₂ capture. The specific surface area of Cu-nano zeolite was measured as 869.32 m²/g with a pore size of 3.86 nm. The adsorption capacity of CO₂ by Cu-nano zeolite was decreased with increasing temperature. The identified adsorption capacity of CO₂ by Cu-nano zeolite was 7.16 mmol/g at a temperature of 20 oC and at pressure of 1 atm. The adoption selectivity of CO₂ over N₂ strongly depend on the temperature and the highest selectivity by Cu-nano zeolite was 50.71 at 20 oC. From analysis of regeneration characteristics of CO₂ loaded adsorbent, the percentage removal of CO₂ was maintained at more than 78.2 % even after 10 cycles of adsorption-desorption. Based on these result, the Cu-nano zeolite can be used as an effective and economical adsorbent for CO₂ capture.

Keywords : CO₂ capture, selectivity, Cu-nano zeolite, regeneration.

Conference Title : ICNST 2016 : International Conference on Nano Science and Technology

Conference Location : Kuala Lumpur, Malaysia

Conference Dates : February 11-12, 2016