

## **The Survey of Phlebotomine Sandfly (Diptera: Psychodidae) of Al-Asaba Area in the Northwest Region of the Libya**

**Authors :** Asherf El-Abaiied, Elsadik Anan, Badereddin Annajar, Mustafa Saieh, Abudalnaser El-Buni

**Abstract :** Zoonotic Cutaneous Leishmaniasis (ZCL) has been endemic in the Northwestern region of Libya for over nine decades. Survey of sandfly fauna in the region revealed that 13 species have been recorded with various distribution and abundance patterns. Phlebotomus papatasi proved to be the main vector of the disease in many areas. To identify sandfly species present in the Al-Asaba town and determine their spatial and seasonal abundance. An epidemiological analysis of the data obtained from the recorded cases was also carried out. Sand flies collected from various sites using sticky traps and CDC miniature light traps during the period from March-November 2006. Recorded ZCL cases were collected from the local Primary Health Care Department and analysed using SPSS statistical package. Ten species of sandflies were identified, seven belong to the genus Phlebotomus and three belong to the genus Sergentomyia. P. papatasi was the most abundant species with peak season recorded in September. The prevalence of the disease was low however; notable increase of ZCL cases in last three years has been indicated.

**Keywords :** Cutaneous leishmaniasis, Phlebotomus papatasi, sandfly fauna, Libya

**Conference Title :** ICBESE 2014 : International Conference on Biological, Ecological and Environmental Sciences, and Engineering

**Conference Location :** Istanbul, Türkiye

**Conference Dates :** March 24-25, 2014