Coordination Polymer Hydrogels Based on Coinage Metals and Nucleobase Derivatives

Authors : Lamia L. G. Al-Mahamad, Benjamin R. Horrocks, Andrew Houlton

Abstract : Hydrogels based on metal coordination polymers of nucleosides and a range of metal ions (Au, Ag, Cu) have been prepared and characterized by atomic force microscopy (AFM), transmission electron microscopy (TEM), X-ray photoelectron spectroscopy, Fourier transform infrared spectroscopy, ultraviolet-visible absorption spectroscopy, and powder X-ray diffraction. AFM images of the xerogels revealed the formation of extremely long polymer molecules (> 10 micrometers, the maximum scan range). This result is also consistent with TEM images which show a fibrous morphology. Oxidative doping of the Au-nucleoside fibres produces an electrically conductive nanowire. No sharp Bragg peaks were found at the at the X-ray diffraction pattern for metal ions hydrogels indicating that the samples were amorphous, but instead the data showed broad peaks in the range 20 < Q < 40 and correspond to distances $d=2\mu/Q$. The data was analysed using a simplified Rietveld method by fitting a regression model to obtain the distance between atoms.

1

Keywords : hydrogel, metal ions, nanowire, nucleoside

Conference Title : ICCCA 2017 : International Conference on Coordination Chemistry and Applications

Conference Location : Paris, France

Conference Dates : March 29-30, 2017