Factors Affecting the Uptake of Modern Contraception Services in Oyo State, Nigeria

Authors : Folajinmi Oluwasina, Magbagbeola Dairo, Ikeoluwapo Ajayi

Abstract : Contraception has proven to be an effective way of controlling fertility and spacing births. Studies have shown that contraception can avert the high-risk pregnancies and consequently reduce maternal deaths up to 32%. Uptake of modern contraception is promoted as a mechanism to address the reproductive health needs of men and women, as well as the crucial challenge of rapid population increase. A cross- sectional descriptive study using a two- stage systematic sampling technique was used to select 530 women of reproductive age out of 20,000 households. Respondents were interviewed using a semistructured questionnaire. Knowledge was assessed on a 5 point score in which a score of ≤ 2 rated poor while perception was scored on 36 points score in which a score of \leq 18 was rated low. Data were analyzed using descriptive statistics, Chi-square test and logistic regression at p < 0.05. There were 530 respondents. Age of respondents was 30.3 ± 7.8 years, and 73.0% were married. About 90% had good knowledge of contraception while 60.8% had used contraceptives. The commonest source of information about contraception was mass media (72.8%). Minority (26.1%) obtained husbands approval before using contraceptive while 20.0% had used modern contraceptives before the first birth. Many (54.5%) of the respondents agreed that contraception helps in improving standard of living and 64.7% had good perception about contraception. Factors that hindered effective uptake of contraception services included poor service provider's attitude (33.3%) and congestion at the service centers (4.5%). Respondents with nonuse of contraceptive before first birth are less likely to subsequently use contraceptives (OR= 0.324, 95% CI= 0.1-0.5). Husband approval of contraceptives use was the major determinant of women's contraceptive use (OR = 3.4, 95% CI = 1.3-8.7). Respondents who had family planning centers not more than 5 kilometers walking distance to their residence did not significantly use contraception services (41.5%) more than 21.1% of those who had to take means of transportation to the service venues. This study showed that majority of the respondents were knowledgeable and aware of contraception services, but husband's agreement on the use of modern contraceptives remains poor. Programmes that enhances husbands approval of modern contraception is thus recommended.

1

Keywords : contraception services, service provider's attitude, uptake, husbands approval

Conference Title : ICRHFP 2017 : International Conference on Reproductive Health and Family Planning

Conference Location : London, United Kingdom

Conference Dates : March 14-15, 2017