

Wet Polymeric Precipitation Synthesis for Monophasic Tricalcium Phosphate

Authors : I. Grigoraviciute-Puroniene, K. Tsuru, E. Garskaite, Z. Stankeviciute, A. Beganskiene, K. Ishikawa, A. Kareiva

Abstract : Tricalcium phosphate (β - $\text{Ca}_3(\text{PO}_4)_2$, β -TCP) powders were synthesized using wet polymeric precipitation method for the first time to our best knowledge. The results of X-ray diffraction analysis showed the formation of almost single a Ca-deficient hydroxyapatite (CDHA) phase of a poor crystallinity already at room temperature. With continuously increasing the calcination temperature up to 800 °C, the crystalline β -TCP was obtained as the main phase. It was demonstrated that infrared spectroscopy is very effective method to characterize the formation of β -TCP. The SEM results showed that β -TCP solids were homogeneous having a small particle size distribution. The β -TCP powders consisted of spherical particles varying in size from 100 to 300 nm. Fabricated β -TCP specimens were placed to the bones of the rats and maintained for 1-2 months.

Keywords : Tricalcium phosphate (β - $\text{Ca}_3(\text{PO}_4)_2$, bone regeneration, wet chemical processing, polymeric precipitation

Conference Title : ICC 2017 : International Conference on Chemistry

Conference Location : Zurich, Switzerland

Conference Dates : April 20-21, 2017