

Condensed Benzo, Pyrido, Pyrimidino-Imidazole Derivatives as Antidiabetic Agents

Authors : Fatima Doganc, Hakan Goker

Abstract : Benzimidazole moiety is an important pharmacophore and privileged structure for the medicinal chemists, since it exhibits various important biological activities. Some clinically used drugs have benzimidazole moiety, such as omeprazole, astemizole, albendazole and domperidone. 2-(4-tert-Butylphenyl)benzimidazole, is a PGC-1 α transcriptional regulator shown to have beneficial effects in diabetic mice. We planned to modify the structure of this compound for developing new antidiabetic drug candidates. Hence, a series of guanidino or amidino, benzo/pyrido/pyrimidino-imidazole derivatives were freshly prepared. Mass, ¹H-NMR, ¹³C-NMR, 2D-NMR spectroscopy techniques were used for the new derivatives to clarify their structures and their purity was controlled through the elemental analysis. Antidiabetic activity studies of the synthesized compounds are under the investigation.

Keywords : antidiabetic agents, benzimidazole, imidazopyridine, imidazopyrimidine

Conference Title : ICPP 2017 : International Conference on Pharmacy and Pharmacology

Conference Location : London, United Kingdom

Conference Dates : September 21-22, 2017