## Growth Performance and Economy of Production of Pullets Fed on Different Energy Based Sources

Authors : O. A. Anjola, M. A. Adejobi, A. Ogunbameru, F. P. Agbaye, R. O. Odunukan

**Abstract :** This experiment was conducted for 8 weeks to evaluate the growth performance and economics of pullets fed on different dietary energy sources. A total of 300 Harco black was used for this experiment. The birds were completely randomized and divided into four diet treatment groups. Each treatment group had three replicates of twenty-five birds per replicate. Four diets containing maize, spaghetti, noodles, and biscuit was formulated to represent diet 1, 2, 3 and 4 respectively. Diet 1 containing maize is the control, while diet 2, 3, and 4 contains spaghetti, noodles, and biscuit waste meal at 100% replacement for maize on weight for weight basis. Performance indices on Feed intake, body weight, weight gain, feed conversion ratio (FCR) and economy of production were measured. Blood samples were also collected for heamatology and serum biochemistry assessment. The result of the experiment indicated that different dietary energy source fed to birds significantly (P < 0.05) affect feed intake, body weight, weight gain, and feed conversion ratio (FCR). The best cost of feed per kilogram of body weight gain was obtained in Spaghetti based diet (**¥**559.30). However, the best performance were obtained from diet 1(maize), it can be concluded that spaghetti as a replacement for maize in diet of pullet is most economical and profitable for production without any deleterious effects attached. Blood parameters of birds were not significantly (p > 0.05) influenced by the use of the dietary energy sources used in this experiment.

Keywords : growth performance, spaghetti, noodles, biscuit, profit, hematology, serum biochemistry

Conference Title : ICAWN 2017 : International Conference on Animal Welfare and Nutrition

Conference Location : Boston, United States

Conference Dates : April 24-25, 2017

1