

## Optimization of Process Parameters for Peroxidase Production by Ensifer Species

**Authors :** Ayodeji O. Falade, Leonard V. Mabinya, Uchechukwu U. Nwodo, Anthony I. Okoh

**Abstract :** Given the high utility of peroxidase in several industrial processes, the search for novel microorganisms with enhanced peroxidase production capacity is of keen interest. This study investigated the process conditions for optimum peroxidase production by Ensifer sp, new ligninolytic proteobacteria with peroxidase production potential. Also, some agricultural residues were valorized for peroxidase production under solid state fermentation. Peroxidase production was optimum at an initial medium pH 7, incubation temperature of 30 °C and agitation speed of 100 rpm using alkali lignin fermentation medium supplemented with guaiacol as the most effective inducer and ammonium sulphate as the best inorganic nitrogen. Optimum peroxidase production by Ensifer sp. was attained at 48 h with specific productivity of  $12.76 \pm 1.09 \text{ U mg}^{-1}$ . Interestingly, probable laccase production was observed with optimum specific productivity of  $12.76 \pm 0.45 \text{ U mg}^{-1}$  at 72 h. The highest peroxidase yield was observed with sawdust as solid substrate under solid state fermentation. In conclusion, Ensifer sp. possesses the capacity for enhanced peroxidase production that can be exploited for various biotechnological applications.

**Keywords :** catalase-peroxidase, enzyme production, peroxidase, polymerase chain reaction, proteobacteria

**Conference Title :** ICBSBE 2018 : International Conference on Biological Systems and Biomedical Engineering

**Conference Location :** Dublin, Ireland

**Conference Dates :** January 30-31, 2018