

## Relay Node Placement for Connectivity Restoration in Wireless Sensor Networks Using Genetic Algorithms

**Authors :** Hanieh Tarbiat Khosrowshahi, Mojtaba Shakeri

**Abstract :** Wireless Sensor Networks (WSNs) consist of a set of sensor nodes with limited capability. WSNs may suffer from multiple node failures when they are exposed to harsh environments such as military zones or disaster locations and lose connectivity by getting partitioned into disjoint segments. Relay nodes (RNs) are alternatively introduced to restore connectivity. They cost more than sensors as they benefit from mobility, more power and more transmission range, enforcing a minimum number of them to be used. This paper addresses the problem of RN placement in a multiple disjoint network by developing a genetic algorithm (GA). The problem is reintroduced as the Steiner tree problem (which is known to be an NP-hard problem) by the aim of finding the minimum number of Steiner points where RNs are to be placed for restoring connectivity. An upper bound to the number of RNs is first computed to set up the length of initial chromosomes. The GA algorithm then iteratively reduces the number of RNs and determines their location at the same time. Experimental results indicate that the proposed GA is capable of establishing network connectivity using a reasonable number of RNs compared to the best existing work.

**Keywords :** connectivity restoration, genetic algorithms, multiple-node failure, relay nodes, wireless sensor networks

**Conference Title :** ICEWOC 2018 : International Conference on Electronics, Wireless and Optical Communications

**Conference Location :** Singapore, Singapore

**Conference Dates :** March 22-23, 2018